

2006 Behavioral Risk Factor Surveillance Survey Results: Oral Health Module



Bureau of Family Health Services
Nevada State Health Division
Department of Health & Human Services



Jim Gibbons
Governor

Richard Whitley, MS, Administrator
Nevada State Health Division

Michael J. Willden, Director
Department of Health and Human Services

Mary Guinan, MD, PhD
Acting State Health Officer

June 2008

Acknowledgements

University of Nevada, Reno

Dr. Wei Yang
Professor and Director
Center for Health Statistics and Informatics

Dr. Judy Calder
Associate Professor
Department of Human Development and
Family Studies

Dr. Veronica Blas Dahir
Associate Director and Acting Director
Center for Research Design and Analysis

Fares Qeadan
Research Statistician
Center for Health Statistics and Informatics

Nevada Department of Health and Human Services

Judy Wright
Chief
Bureau of Family Health Services

Dr. Luana Ritch
Chief
Bureau of Health Planning & Statistics

Chris Wood
Oral Health Program Manager
Bureau of Family Health Services

Alicia Chancellor Hansen
Chief Biostatistician
Bureau of Health Planning & Statistics

James Jordan
Biostatistician
Bureau of Family Health Services

To Obtain Additional Copies

This report is available on the State Health Division website: <http://health.nv.gov/> . Comments, suggestions, and requests for further information may be addressed to:

Oral Health Program
Bureau of Family Health Services
Nevada State Health Division
3427 Goni Road, Suite 108
Carson City, NV 89706
TEL: (775) 684-4285
FAX: (775) 684-4245

Funding for this project was provided by the Centers for Disease Control and Prevention (CDC) through the Chronic Disease Prevention and Health Promotion Programs Component 4: State-Based Oral Disease Prevention Program (U58/CCU922830). The contents of this report are solely the responsibility of the authors and do not necessarily represent the official views of the CDC.

Executive Summary

The Behavioral Risk Factor Surveillance Survey (BRFSS) is an annual telephone survey of adults age 18 or older conducted within each of the 50 states along with the District of Columbia, Puerto Rico, Guam, and the Virgin Islands. The BRFSS includes a set of “core” modules that all states must ask without modification every year and “rotating core modules” that all states must ask without modification every other year. Oral health is a rotating core module. The following oral health questions were asked on the 2006 Nevada BRFSS:

1. How long has it been since you last visited a dentist or a dental clinic?
2. How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics.
3. How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist?
4. What is the main reason you have not visited the dentist in the past year?
5. Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid?

These are the key findings from the 2006 Nevada BRFSS:

- Sixty-six percent of Nevadans age 18 or older visited a dentist, dental hygienist, or dental clinic within the past year. The Healthy People 2010 target for persons aged 2 years and older is 56 percent or higher.
- Fifty-three percent of adult Nevadans have never had a permanent tooth extracted because of tooth decay or gum disease. The Healthy People 2010 target is 42 percent or higher.
- Eighteen percent of Nevadans age 65 or older have had all of their permanent teeth extracted due to decay or gum disease. The Healthy People 2010 target for persons aged 65 to 74 is 20 percent or lower.
- Sixty-three percent of Nevadans had their teeth cleaned by a dentist or dental hygienist within the past year.
- When Nevadans who reported not visiting a dentist in the past year were asked the main reason for not doing so, the most frequently cited response was “Cost” (33%), followed by “No reason to go” (24%).

Table of Contents

ACKNOWLEDGEMENTS	I
TO OBTAIN ADDITIONAL COPIES.....	I
EXECUTIVE SUMMARY	II
TABLE OF CONTENTS	III
LIST OF FIGURES.....	V
METHODOLOGY	1
QUICK REFERENCE GUIDE.....	2
KEY FINDINGS.....	3
HEALTHY PEOPLE 2010 – ORAL HEALTH	4
2006 BRFSS - ORAL HEALTH RESULTS BY AGE.....	9
2006 BRFSS - ORAL HEALTH RESULTS BY ETHNICITY/RACE	12
2006 BRFSS - ORAL HEALTH RESULTS BY LEVEL OF EDUCATION.....	15
2006 BRFSS - ORAL HEALTH RESULTS BY INCOME LEVEL.....	18
2006 BRFSS - ORAL HEALTH RESULTS OF NEVADANS WITH HEALTH CARE COVERAGE.....	21
2006 BRFSS - ORAL HEALTH RESULTS BY REGION	24
2006 BRFSS - ORAL HEALTH RESULTS BY SMOKING.....	27
2006 BRFSS - ORAL HEALTH RESULTS OF NEVADANS WITH DIABETES	30
2006 BRFSS - ORAL HEALTH RESULTS BY HEALTH STATUS	33
RECOMMENDATIONS.....	36
APPENDIX- TABLES	37
Table 01.A: How long has it been since you last visited a dentist or a dental clinic for any reason? (All survey respondents).....	38
Table 01.B: How long has it been since you last visited a dentist or a dental clinic for any reason? (All survey respondents).....	39
Table 02.A: At risk for not having visited a dentist, dental hygienist, or a dental clinic within the past year. (All survey respondents)	40
Table 02.B: At risk for not having visited a dentist, dental hygienist, or a dental clinic within the past year. (All survey respondents)	41
Table 03.A: Number of permanent teeth removed because of tooth decay or gum disease. (All survey respondents).....	42
Table 03.B: Number of permanent teeth removed because of tooth decay or gum disease. (All survey respondents).....	43
Table 04.A: Number of permanent teeth removed because of tooth decay or gum disease. (Only age 65+)	44
Table 04.B: Number of permanent teeth removed because of tooth decay or gum disease. (Only age 65+).....	45
Table 05.A: At risk for having had some/all permanent teeth extracted. (All survey respondents).....	46
Table 05.B: At Risk for Having Had Some/All Permanent Teeth Extracted. (All survey respondents).....	47
Table 06.A: At Risk for Having Had All Permanent Teeth Extracted. (Only Age 65+)	48

Table 06.B: At risk for having had all permanent teeth extracted. (only age 65+)	49
Table 07.A: How long has it been since you had your teeth cleaned by a dentist or dental hygienist?	50
Table 07.B: How long has it been since you had your teeth cleaned by a dentist or dental hygienist?	51
Table 08.A: At Risk for not having teeth cleaned by the dentist or dental hygienist within the past year. (All survey respondents)	52
Table 08.B: At Risk for not having teeth cleaned by the dentist or dental hygienist within the past year. (All survey respondents)	53
Table 09.A: Main reason not visited dentist in the past year. (Only those who didn't visit a dentist within the past year).....	54
Table 09.B: Main reason not visited dentist in the past year. (Only those who didn't visit a dentist within the past year).....	55
Table 10.A: Do you have any kind of health insurance that pays for some or your entire routine dental care? ...	56
Table 10.B: Do you have any kind of health insurance that pays for some or your entire routine dental care? ...	57

List of Figures

Figure 01	Healthy People 2010 Objective 21-3 Increase the proportion of adults who have never had a permanent tooth extracted because of dental caries or periodontal disease.....	4
Figure 02	Healthy People 2010 Objective 21-4 Reduce the proportion of older adults who have had all their natural teeth extracted.....	5
Figure 03	Healthy People 2010 Objective 21-10 Increase the proportion of children and adults who use the oral health care system each year.	5
Figure 04	How long has it been since you last visited a dentist or a dental clinic for any reason?	6
Figure 05	How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics.....	6
Figure 06	How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist?.....	7
Figure 07	Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid?	7
Figure 08	What is the main reason you have not visited the dentist in the past year?.....	8
Figure 09	How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on age.	9
Figure 10	How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on age.	10
Figure 11	How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on age.	11
Figure 12	Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on age.	11
Figure 13	How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on ethnicity/race.	12
Figure 14	How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on ethnicity/race.	13
Figure 15	How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on ethnicity/race.	13
Figure 16	Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on ethnicity/race.	14
Figure 17	How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on education level.....	15
Figure 18	How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on education level.	16
Figure 19	How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on education level.....	16
Figure 20	Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on education level.....	17

Figure 21	How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on income level.	18
Figure 22	How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on income level.	19
Figure 23	How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on income level.	19
Figure 24	Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on income level.	20
Figure 25	How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on medical insurance.	21
Figure 26	How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on medical insurance.	22
Figure 27	How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on medical insurance.	22
Figure 28	Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on medical insurance.	23
Figure 29	How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on region.	24
Figure 30	How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on region.	25
Figure 31	How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on region.	25
Figure 32	Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on region.	26
Figure 33	How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on at risk for smoking.	27
Figure 34	How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on at risk for smoking.	27
Figure 35	How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on at risk for smoking.	28
Figure 36	Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on at risk for smoking.	29
Figure 37	How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on presence of diabetes (including females during pregnancy).	30
Figure 38	How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on presence of diabetes (including females during pregnancy).	31
Figure 39	How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on presence of diabetes (including females during pregnancy).	31

Figure 40 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on presence of diabetes (including females during pregnancy).....	32
Figure 41 How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on health status.	33
Figure 42 How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on health status.	34
Figure 43 How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on health status.	34
Figure 44 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on health status.	35

Methodology

Since 2002, Nevada's Oral Health Program has included questions in the Oral Health Module of the Behavioral Risk Factor Surveillance Survey (BRFSS). The results are used as estimates for the prevalence of oral disease and access to dental care for Nevada's adults. This is a summary of Nevada's results for the 2006 BRFSS. The BRFSS is an annual telephone survey conducted independently in the U.S. within each of the 50 states along with the District of Columbia, Puerto Rico, Guam, and the Virgin Islands. The survey is conducted continuously throughout the year, and is a collaborative effort between the Centers for Disease Control and Prevention (CDC) and each state's Department of Health. Participation in the survey is voluntary, and all data collected is confidential.

Common demographic items and risk factors (age, gender, smoking status, etc) were selected to be cross-tabulated with the oral health questions. The tables within the report include the number of respondents (N), the weighted percentage, and the 95 percent confidence interval (C.I.) for the response rates within each item. Confidence intervals provide a basis for quality analysis and comparability. Percentages for two different sub-groups can be evaluated as likely to be statistically significant if the confidence intervals do not overlap.

Due to sampling and weighting procedures, the CDC recommends caution be taken when interpreting prevalence rates if the unweighted sample size for the denominator was less than 50. Small sample sizes (less than 50) are considered to be unreliable. The tables within this report include certain subgroups with a denominator less than 50 and therefore cannot be interpreted with confidence.

Tables and graphs summarize the results obtained from the responses to these five questions:

1. How long has it been since you last visited a dentist or a dental clinic?
2. How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics.
3. How long has it been since you had your teeth "cleaned" by a dentist or dental hygienist?
4. What is the main reason you have not visited the dentist in the past year?
5. Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid?

One primary purpose of the BRFSS data is to identify which population is in need of community interventions and improvements in health. Variables that frequently show differences across categories are education and income. Refer to the data tables in the appendix for 95 percent confidence intervals and complete results provided by the Bureau of Health Planning and Statistics of Nevada's State Health Division and the Nevada Center for Health Statistics and Informatics at the University of Nevada Reno. Complete data tables for each question are in the appendix.

Quick Reference Guide

Tables and graphs summarize the results obtained from the responses to these five questions:

1. How long has it been since you last visited a dentist or a dental clinic?
2. How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics.
3. How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist?
4. What is the main reason you have not visited the dentist in the past year?
5. Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid?

	Question 1	Question 2	Question 2A (All Teeth /65+ only)	Question 3	Question 4	Question 5	Question 1 or 3
Tables	p. 38, 39	p. 42, 43 p. 46, 47	p. 44, 45 p. 48, 49	p. 50, 51 p. 52, 53	p. 54, 55	p. 56, 57	p. 40, 41
Overall Results	p. 6	p. 6		p. 7	p. 8	p. 7	
By Age	p. 9	p. 10		p. 11		p. 11	
By Ethnicity/Race	p. 12	p. 13		p. 13		p. 14	
By Education	p. 15	p. 16		p. 16		p. 17	
By Income	p. 18	p. 19		p. 19		p. 20	
By Health Care Coverage	p. 21	p. 22		p. 22		p. 23	
By Region	p. 24	p. 25		p. 25		p. 26	
By Smoking	p. 27	p. 27		p. 28		p. 29	
By Diabetes	p. 30	p. 31		p. 31		p. 32	
By Health Status	p. 33	p. 34		p. 34		p. 35	

Key Findings

- Thirty-four percent of adult Nevadans surveyed reported not visiting a dentist, dental hygienist, or dental clinic within the past year.
- Forty-seven percent of adult Nevadans have had some or all of their teeth removed due to decay or gum disease. Fifty-three percent of adult Nevadans have never had a permanent tooth extracted because of dental caries or periodontal disease.
- Eighteen percent of Nevada seniors (age 65 years and older) reported that they had all of their permanent teeth extracted due to decay or gum disease.
- Thirty-seven percent of Nevadans have not had their teeth cleaned by a dentist or dental hygienist within the past year.
- The most frequent reason respondents cited for not visiting a dentist or dental clinic during the past year was “cost” (33%).


Healthy People 2010 – Oral Health

*Healthy People 2010*¹ is a set of health objectives for the nation to achieve over the first decade of the new century. The *Healthy People 2010* initiative lists 17 specific oral health objectives to prevent and control oral diseases and reduce oral health disparities. *Healthy People 2010* objectives include the three oral health goals for adults listed below.

- Increase the proportion of adults who have never had a permanent tooth extracted because of dental caries or periodontal disease. The target population is adults aged 35 to 44. The Healthy People 2010 target is 42 percent or higher.
- Reduce the proportion of older adults who have had all their natural teeth extracted. The target population is adults aged 65 to 74. The Healthy People 2010 target is 20 percent or lower.
- Increase the proportion of children and adults who use the oral health care system each year. The target population is persons aged 2 years and older. The Healthy People 2010 target is 56 percent or higher. (**Note:** The 2006 BRFSS result shown for this is only based on Nevada adults 18 years or older)

The graphs below compare Nevada’s 2006 BRFSS results with the above Healthy People 2010 oral health objectives. These results clearly show that Nevada has met all of the *Healthy People 2010* objectives for these three indices for adults.

Figure 01 Healthy People 2010 Objective 21-3 Increase the proportion of adults who have never had a permanent tooth extracted because of dental caries or periodontal disease.



¹ <http://www.healthypeople.gov/default.htm>

Figure 02 Healthy People 2010 Objective 21-4 Reduce the proportion of older adults who have had all their natural teeth extracted.





Figure 03 Healthy People 2010 Objective 21-10 Increase the proportion of children and adults who use the oral health care system each year.




NOTE: The target population to estimate use of oral health care system is persons aged 2 years and older. The 2006 BRFSS result shown above is based only on Nevada adults 18 years or older.

2006 BRFSS - Oral Health Results

During the 2006 calendar year 3,591 Nevadans 18 years or older responded to the BRFSS telephone survey. All of the summary information that follows are analyzed based on the CDC's weighting methodology. In the results that follow those who refused to respond to a question or who responded "do not know" are treated as missing data and are not included in the analysis.


The overall results for the three oral health questions that are considered "core" by the CDC are reported next. These questions are addressed in more detail in other sections of this document. Additional detail can also be found in the tables located at the end of this report.

Figure 04 How long has it been since you last visited a dentist or a dental clinic for any reason?




Two percent of the survey respondents indicated that they had never been to a dentist. While the percent is small, it translates into over 40,000 Nevadans age 18 years and older who have never been to a dentist or dental clinic.

Figure 05 How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics.



In 2006 five percent of respondents, representing an estimated 100,000 adult Nevadans, indicated that they had lost all of their teeth due to tooth decay or gum disease.


Figure 06 How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist?



The results for “time since you had your teeth cleaned” are very similar to the results for “length of time since you last visited a dentist or dental clinic.”


The next two questions are additional oral health questions that the Nevada State Health Division paid to include in the 2006 survey and are not part of the rotating core.

Figure 07 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid?



Results associated with dental coverage need to be tempered because of missing data. The structure of the 2006 survey questionnaire was such that anyone who indicated they had lost all of their teeth due to decay or gum disease were not asked if they had dental coverage. This resulted in 242 of the 3,591 respondents not being asked if they had dental coverage. This will bias the results regarding dental insurance coverage, especially when the subgroup of interest contains a large number who have lost all of their teeth. Based on a review of the 2005 BRFSS data it appears that there is an impact of plus or minus two percentage points to any given result regarding dental insurance coverage.

Figure 08 What is the main reason you have not visited the dentist in the past year?




Out of the 3,591 2006 BRFSS respondents, thirty-four percent had not visited a dentist, dental hygienist or dental clinic during the past year. The number one reason cited for not visiting a dentist during the past twelve months was “cost.” The next most frequently mentioned reason was “no reason to go.”

2006 BRFSS - Oral Health Results by Age

Respondents were asked how long they were. The reported ages were used to classify each into the age groups used in this section. The weighted distribution for the age groups is as follows:


- 18-24 (12%)
- 25-34 (20%)
- 35-44 (20%)
- 45-54 (18%)
- 55-64 (14%)
- 65+ (16%).

Figure 09 How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on age.




Nevadans, 65 years of age and older, were more likely than the other age groups to report that it had been more than five years since their last visit to a dentist or dental clinic. However, differences between the 55-64 age group and those 65 years of age and older are not statistically significant as evidenced by overlapping confidence intervals as shown in the associated table in the appendix. (Table 01.A)

Figure 10 How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on age.




Significantly more Nevadans in the two oldest age groups reported losing six or more teeth to decay and gum disease than the other age groups. Additionally the oldest age group was significantly more likely to report that they had lost “All” of their teeth to decay or gum disease than the other age groups. The older the responder the less likely they were to report that they had lost “None” of their teeth due to decay or gum disease.

Figure 11 How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist?
 Summary is based on age.



Age was not a significant factor in determining the last time that a Nevadan reported having their teeth cleaned.

Figure 12 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid?
 Summary is based on age.




One can see that the likelihood of having dental insurance is less at either extreme of the age spectrum. The very oldest and youngest age groups are significantly less likely to have dental insurance than the other four age groups.

2006 BRFSS - Oral Health Results by Ethnicity/Race

2006 BRFSS respondents were asked if they were Hispanic or Latino. They were also asked to identify what racial group best represented them. Based on these two questions participants were organized into the following ethnic/racial groups for purposes of summarizing the survey data:


- White-non-Hispanic (60%)
- Black/African American-non-Hispanic (4%)
- Other Race-non-Hispanic (5%)
- Multiracial-non-Hispanic (8%)
- Hispanic (23%).

Figure 13 How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on ethnicity/race.




Hispanics were significantly less likely to have visited a dentist in the past year than White-non-Hispanics.

Figure 14 How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on ethnicity/race.




Significantly more Hispanics than White-non-Hispanics reported having one to five teeth removed due to dental disease. This was reversed for the categories “six or more teeth” where the percentage for White-non-Hispanic was significantly higher than Hispanics. Apparent differences between the other Racial/Ethnic groups and White-non-Hispanics are not statistically significant as evidenced by overlapping confidence intervals as shown in Table 04.A in the Appendix.

Figure 15 How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on ethnicity/race.



Significantly fewer Hispanics reported that they had their teeth cleaned in the past year than White-non-Hispanics.

Figure 16 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on ethnicity/race.




In general Hispanics were less likely to have dental coverage than the other ethnic/racial groups. The twenty point difference between Hispanics and Black/African Americans having dental insurance is not statistically significant, as indicated by overlapping confidence intervals (see Table 10.A) due to the small sample size of Black/African Americans.

2006 BRFSS - Oral Health Results by Level of Education


Participants in the 2006 BRFSS telephone survey were asked “What is the highest grade or year of school you completed?” Based on the response, respondents were grouped into “Less than High School” (16%), “High School Degree or G.E.D” (27%), “Some Post High School Education,” (30%), or “College or Technical School Graduate” (27%).

Figure 17 How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on education level.




A positive and significant progression in the likelihood of respondents having obtained dental care is observed relative to their increased level of education.

Figure 18 How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on education level.




College graduates are significantly more likely to have reported that “None” of their teeth have been removed due to tooth decay or gum disease.

Figure 19 How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on education level.



The influence of education is the same for having teeth cleaned as it was for the first question on seeking dental care. The more educated a person was the more likely they were to report having had their teeth cleaned within the previous year.

Figure 20 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on education level.




Nevadans with a high school education are significantly more likely to have dental insurance than those who have not graduated from high school. Nevadans who have some post high school education or a college degree are more likely to have dental insurance coverage than Nevadans with a high school degree or less.

2006 BRFSS - Oral Health Results by Income Level

During the 2006 BRFSS interview, respondents were asked to classify their total household income from all sources. The weighted distribution for total household income of those who responded (n=3,111) was:


- Less than \$15,000 (10%)
- \$15,000 - \$24,999 (14%)
- \$25,000 - \$34,999 (12%)
- \$35,000 - \$49,999 (15%)
- \$50,000 - \$74,999 (19%)
- \$75,000 dollars or more (30%)

Figure 21 How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on income level.




As with education, those with higher household incomes are more likely to have visited a dentist in the past year. Nevadans with reported incomes of \$75,000 or more were significantly more likely to have seen a dentist or visited a dental clinic in the past year than all other income groups. The two lowest income groups (Less than \$15,000 and \$15,000 – \$24,999) were significantly less likely to have visited a dentist or dental clinic than those in the top three income groups.

Figure 22 How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on income level.




Nevadans with a total household income of more than \$75,000 are significantly more likely to report having lost “none” of their teeth due to decay or gum disease than all other income groups except those whose income was \$50,000-\$74,999.

Figure 23 How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on income level.



The likelihood of getting ones teeth cleaned in the past year is the same for the first three income categories. Those Nevadans in the highest income category are significantly more likely to have had their teeth cleaned in the past year than all other income categories.

Figure 24 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on income level.




As total household income goes up so does the likelihood of having dental insurance. There is a significant disparity between the top three income categories and the bottom three. This disparity is magnified when looking only at the lowest income group.

2006 BRFSS - Oral Health Results of Nevadans with Health Care Coverage


During the 2006 BRFSS survey respondents were asked; “Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?” Seventy-eight percent responded yes and 22 percent said no.

Figure 25 How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on medical insurance.




Nevadans with medical coverage are significantly more likely to have visited a dentist in the past year than those without coverage. Furthermore, those without coverage were significantly more likely to have gone more than two years since their last dental visit (“Within the past five years” and “Five or more years”).

Figure 26 How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on medical insurance.




There was no significant difference in the number of teeth lost due to decay or gum disease between those with and those without health care coverage.

Figure 27 How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on medical insurance.



The reported length of time since last teeth cleaning shows the same pattern as time since last visit to the dentist. Significantly more respondents with medical coverage had their teeth cleaned in the past year. For individuals without health care coverage the time since the last cleaning was higher for all time intervals greater than two years (within the past five years, five years or more).

Figure 28 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on medical insurance.




As seen on the graph above, those who responded that they had medical coverage were significantly more likely to have dental coverage.

2006 BRFSS - Oral Health Results by Region


Region is based on county. Respondents who indicated they lived in Clark County (71%) which includes Las Vegas and Henderson make up one region. Those who indicated they lived in Washoe County (17%), which includes Reno and Sparks, make up a second region. The final region is made up of all remaining counties including Carson City (12%).

Figure 29 How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on region.




There are no significant differences among the regions regarding last visit to a dental office or dental clinic.

Figure 30 How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on region.



More respondents from Washoe County indicated they had not lost any permanent teeth to decay or gum disease.

Figure 31 How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on region.



There are no significant differences among the three regions of Nevada regarding the length of time since their teeth had been cleaned by dentist or dental hygienist.

Figure 32 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on region.




There are no significant differences among the three regions of Nevada regarding insurance coverage for some or all routine dental care.

2006 BRFSS - Oral Health Results by Smoking


The respondent's answers to questions about their smoking behavior were used to classify if they were at risk for smoking. If the response was that they had smoked more than 100 cigarettes in their life and they currently smoke every day or currently smoke on some days, then they were considered to be at risk for smoking; otherwise they were not considered to be at risk. For the 3,575 Nevadans that responded, 22 percent were identified as being at risk and 78 percent were not at risk.

Figure 33 How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on at risk for smoking.




Nevadans “Not at risk” for smoking were significantly more likely to have visited a dentist or dental clinic in the past year. Those “At risk” were more likely to have waited more than two years since their last visit (within past five years, five or more years). This is particularly troublesome due to the known relationship between smoking and oral cancer.

Figure 34 How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on at risk for smoking.




Respondents who were “At risk” for smoking were significantly more likely to lose one or more permanent teeth (“1 to 5” and “6 or more but not all”), than those who were “Not at risk” for smoking. Conversely, those “Not at risk” for smoking are dramatically more likely to indicate that they had lost “None” of their permanent teeth due to decay or gum disease.

Figure 35 How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist?
Summary is based on at risk for smoking.



Individuals “Not at risk” for smoking were more likely to have had their teeth cleaned in the past year than those “At risk.” Five or more years had passed since their last dental cleaning for more respondents identified as “At risk” of smoking than those “Not at risk.”

Figure 36 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on at risk for smoking.




While the previous oral health parameters were significantly better for those “Not at risk” for smoking than those “At risk,” as indicated in the graph above that the difference cannot be attributed to whether or not an individual had dental insurance.

2006 BRFSS - Oral Health Results of Nevadans with Diabetes


In the 2006 BRFSS survey Nevadans were asked “Have you ever been told by a doctor that you have diabetes?” Those respondents who answered either “Yes” or “Yes, but female told only during pregnancy” are shown in the category “Diabetes” (8%) in the following four charts. Those who responded as “No” or “No, pre-diabetes or borderline diabetes” are shown as “No presence of diabetes” (92%).

Figure 37 How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on presence of diabetes (including females during pregnancy).




People who identified themselves as not having diabetes were significantly more likely to report that they had visited a dentist or dental clinic in the past year. Furthermore, those who indicated they had diabetes were twice as likely to wait five or more years before seeking dental care. The well established link between diabetes and oral disease makes this statistic particularly concerning.

Figure 38 How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on presence of diabetes (including females during pregnancy).




People with diabetes are three times more likely to lose six or more teeth and twice as likely to have lost all of their teeth when compared to those who do not have diabetes. Those without diabetes were significantly more likely to have lost “None” of their teeth due to decay or gum disease.

Figure 39 How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on presence of diabetes (including females during pregnancy).



There is not a statistically significant difference in time since last dental cleaning between those with diabetes and those with no presence of diabetes.

Figure 40 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on presence of diabetes (including females during pregnancy).




The ten percentage point difference between dental insurance coverage of the group with diabetes and the group with no presence of diabetes is not statistically significant.

2006 BRFSS - Oral Health Results by Health Status


In the 2006 BRFSS survey Nevadans were asked to describe their general health. If the response was “Excellent,” “Very good” or “Good” then the respondent was assigned to the Health Status category of “Not at Risk.” If the response was “Fair” or “Poor” then the respondent was assigned to the Health Status category of “At risk.” In the 2006 BRFSS Survey 3,583 Nevadans responded to this question. The responses from 82 percent were categorized as “Not at risk” and 18 percent were categorized as “At risk.”

Figure 41 How long has it been since you last visited a dentist or a dental clinic for any reason? Summary is based on health status.




Those respondents whose general health was identified as “Not at risk” were significantly more likely to have visited a dentist or dental clinic in the past year than those who described their general health as “At risk.” Furthermore, Nevadans who described their general health as “At risk” were significantly more likely to have last visited a dentist five or more years ago than those who were “Not at risk.”

Figure 42 How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics. Summary is based on health status.




Nevadans whose general health was categorized as “At risk” were significantly more likely to have lost more teeth (six or more; or all of their teeth) than those who were “Not at risk.” Conversely, those whose general health was “Not at risk” were significantly more likely to lose “None” of their permanent teeth.

Figure 43 How long has it been since you had your teeth “cleaned” by a dentist or dental hygienist? Summary is based on health status.



Nevadans whose general health was “Not at risk” were significantly more likely to have had their teeth cleaned by a dentist or dental hygienist in the past year than those whose general health was “At risk.” Respondents who were “At risk” were significantly more likely to have waited five or more years before having their teeth cleaned than those categorized as “Not at risk” of poor health.

Figure 44 Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? Summary is based on health status.



Those whose general health was categorized as “Not at risk” were significantly more likely to have dental insurance than those who were “At risk.”

Recommendations

To reduce disparities and improve the oral health of adult Nevadans, focus efforts on...

- increasing the number of Nevadans, 65 years of age and older, who have been seen by a dentist within the past year
- increasing the number of Hispanics who have visited a dentist in the past year and who have had their teeth cleaned in the past year
- educating smokers on the importance of annual dental visits
- increasing the number of diabetics who visit a dentist or dental clinic on at least an annual basis
- educating persons with diabetes on the inter-relationship between good oral health and maintaining good blood sugar control
- educating the public, especially those with less formal education, about the importance of oral health to overall health

Appendix - Tables

The following section includes tables for the year 2006 presenting information on prevalence (%) of the Oral Health variables cross matched with demographic variables and risk factors.

For the following tables:

%= Weighted Percentage (row percentage)

Denominator includes all survey respondents except those with missing, don't know, and refused answers.

Table 01.A: How long has it been since you last visited a dentist or a dental clinic for any reason? (All survey respondents)

BRFSS 2006 : ORAL HEALTH		Within the past year			Within the past 2 years			Within the past 5 years			5 or more years ago			Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	2321	64.2%	(61.8-66.6)	418	12.6%	(10.9-14.2)	402	11.2%	(9.7-12.7)	393	9.9%	(8.5-11.3)	43	2.1%	(1.1-3.1)
Gender	Male	1007	60.7%	(57.1-64.3)	201	12.7%	(10.3-15.0)	202	13.3%	(10.9-15.8)	186	10.3%	(8.3-12.4)	28	3.0%	(1.3-4.7)
	Female	1314	67.8%	(64.7-71.0)	217	12.4%	(10.1-14.8)	200	9.1%	(7.4-10.8)	207	9.4%	(7.5-11.3)	15	1.2%	(0.2-2.3)
Race	White/Non-Hisp	1720	67.9%	(65.1-70.6)	285	11.9%	(9.9-13.8)	256	10.3%	(8.5-12.0)	273	9.7%	(8.0-11.4)	8	0.2%	(0.0-0.5)
	Black or Af.Am./N	52	64.5%	(50.5-78.5)	10	9.7%	(2.6-16.7)	9	8.1%	(1.1-15.1)	11	16.3%	(3.8-28.9)	1	1.5%	(0.0-4.3)
	Oth. Race/Non-Hisp	103	62.6%	(50.3-74.8)	23	18.2%	(8.4-28.1)	13	4.5%	(0.1-8.9)	16	10.1%	(3.7-16.5)	4	4.6%	(0.0-12.4)
	Multiracial/Non-Hisp	166	66.2%	(58.0-74.4)	28	8.6%	(4.2-13.0)	39	9.8%	(5.5-14.1)	39	15.4%	(9.0-21.8)	0	.	(-.)
	Hispanic	262	54.7%	(48.6-60.8)	65	15.1%	(10.8-19.3)	79	16.5%	(12.2-20.8)	47	7.0%	(4.4-9.6)	29	6.7%	(3.2-10.1)
Age	18-24	132	68.0%	(59.2-76.9)	33	13.7%	(7.5-19.9)	27	10.7%	(5.7-15.7)	10	5.0%	(1.1-9.0)	4	2.5%	(0.0-6.2)
	25-34	245	56.3%	(49.9-62.7)	55	11.9%	(8.0-15.9)	70	16.1%	(11.6-20.7)	41	9.3%	(5.5-13.1)	16	6.3%	(2.2-10.4)
	35-44	425	70.9%	(66.0-75.8)	89	13.6%	(10.0-17.3)	64	8.5%	(5.4-11.6)	38	5.5%	(3.2-7.7)	10	1.5%	(0.3-2.6)
	45-54	492	66.3%	(61.3-71.3)	83	12.5%	(8.7-16.3)	83	11.0%	(7.8-14.2)	78	9.3%	(6.4-12.1)	6	0.9%	(0.0-1.7)
	55-64	497	64.6%	(59.2-70.0)	74	12.4%	(8.2-16.6)	80	10.6%	(7.5-13.7)	80	12.3%	(8.3-16.3)	2	0.1%	(0.0-0.3)
	65+	530	59.7%	(55.2-64.2)	84	11.3%	(8.3-14.2)	78	9.8%	(7.2-12.5)	146	18.4%	(14.7-22.2)	5	0.7%	(0.0-1.6)
Education	Less Than H.S.	145	44.1%	(36.3-52.0)	55	15.8%	(10.4-21.2)	71	17.5%	(12.2-22.8)	68	11.8%	(7.9-15.8)	28	10.7%	(5.0-16.5)
	H.S. or G.E.D.	595	58.5%	(53.8-63.2)	131	14.7%	(11.2-18.2)	124	13.3%	(10.2-16.3)	144	12.4%	(9.4-15.4)	7	1.2%	(0.1-2.2)
	Some Post-H.S.	736	66.4%	(62.3-70.5)	139	12.8%	(9.9-15.7)	131	10.1%	(7.6-12.6)	125	10.4%	(7.9-13.0)	5	0.2%	(0.0-0.4)
	College Graduate	836	78.7%	(75.1-82.3)	93	8.6%	(6.2-11.0)	75	7.1%	(4.8-9.3)	53	5.2%	(3.0-7.4)	3	0.4%	(0.0-0.9)
Income	Less than \$15,000	126	45.9%	(37.1-54.7)	37	12.2%	(6.5-18.0)	61	14.8%	(9.7-20.0)	80	19.2%	(13.2-25.2)	11	7.8%	(1.7-14.0)
	\$15,000 to 24,999	193	42.8%	(35.2-50.3)	61	13.9%	(9.2-18.6)	85	19.7%	(14.3-25.1)	89	17.0%	(12.2-21.8)	15	6.7%	(1.3-12.0)
	\$25,000 to 34,999	206	55.1%	(46.7-63.5)	53	16.2%	(10.3-22.1)	43	12.6%	(7.7-17.6)	51	13.7%	(8.2-19.2)	7	2.4%	(0.3-4.5)
	\$35,000 to 49,999	350	65.3%	(59.4-71.3)	72	16.1%	(11.2-21.0)	53	10.4%	(6.8-13.9)	51	7.6%	(4.9-10.3)	1	0.5%	(0.0-1.6)
	\$50,000 to 74,999	416	68.2%	(62.4-73.9)	70	12.3%	(8.5-16.0)	56	11.4%	(7.0-15.8)	39	8.0%	(4.6-11.3)	3	0.2%	(0.0-0.5)
	\$75,000+	720	79.9%	(75.9-84.0)	75	9.6%	(6.5-12.7)	49	6.2%	(3.8-8.5)	31	4.3%	(2.2-6.3)	0	.	(-.)
Health Status	Not At Risk	1997	67.3%	(64.7-69.9)	329	11.9%	(10.1-13.6)	296	10.8%	(9.1-12.5)	258	8.1%	(6.7-9.5)	28	1.9%	(0.8-3.0)
	At Risk	324	50.8%	(44.7-57.0)	88	15.7%	(11.2-20.2)	103	12.7%	(9.3-16.1)	131	17.6%	(13.2-22.0)	15	3.2%	(1.1-5.2)
Disability	Limited in any way	500	58.2%	(53.0-63.4)	114	15.1%	(11.0-19.2)	106	12.0%	(9.0-14.9)	129	14.0%	(10.4-17.5)	6	0.8%	(0.0-1.9)
	No limitations	1812	66.1%	(63.5-68.8)	300	11.8%	(10.0-13.6)	295	11.1%	(9.4-12.8)	258	8.8%	(7.2-10.3)	35	2.2%	(1.1-3.3)
Health Care Coverage	Has Coverage	2090	69.6%	(67.1-72.0)	326	12.2%	(10.4-14.0)	279	8.8%	(7.4-10.2)	285	8.5%	(7.1-9.9)	16	0.9%	(0.3-1.6)
	No Coverage	219	44.5%	(38.1-51.0)	92	14.6%	(10.4-18.7)	121	20.4%	(15.7-25.0)	102	14.0%	(10.0-18.0)	27	6.5%	(2.7-10.4)
Dental Care Coverage	Has Coverage	1566	76.1%	(73.4-78.8)	222	12.0%	(9.9-14.2)	150	7.1%	(5.5-8.7)	105	4.8%	(3.5-6.1)	0	.	(-)
	No Coverage	663	53.0%	(48.5-57.4)	179	15.0%	(12.0-18.1)	200	17.8%	(14.6-21.1)	167	14.2%	(11.2-17.2)	0	.	(-)
Weight Status	Not At Risk	846	68.1%	(64.0-72.2)	145	11.6%	(8.9-14.3)	122	9.2%	(7.0-11.4)	116	9.1%	(6.6-11.6)	10	2.0%	(0.2-3.7)
	At Risk	1375	62.6%	(59.6-65.7)	257	13.1%	(11.0-15.3)	256	11.7%	(9.8-13.7)	256	10.4%	(8.6-12.2)	26	2.1%	(0.8-3.4)
Leisure Time Phys Activity	Not At risk	1853	67.5%	(64.8-70.2)	289	11.3%	(9.5-13.2)	278	10.9%	(9.1-12.7)	234	8.9%	(7.3-10.5)	23	1.3%	(0.5-2.1)
	At risk	464	55.3%	(50.3-60.3)	127	15.6%	(12.1-19.2)	124	12.2%	(9.4-15.0)	159	12.6%	(9.8-15.3)	20	4.3%	(1.3-7.3)

Table 01.B: How long has it been since you last visited a dentist or a dental clinic for any reason? (All survey respondents)

BRFSS 2006 : ORAL HEALTH		Within the past year			Within the past 2 years			Within the past 5 years			5 or more years ago			Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	2321	64.2%	(61.8-66.6)	418	12.6%	(10.9-14.2)	402	11.2%	(9.7-12.7)	393	9.9%	(8.5-11.3)	43	2.1%	(1.1-3.1)
Gender	Male	1007	60.7%	(57.1-64.3)	201	12.7%	(10.3-15.0)	202	13.3%	(10.9-15.8)	186	10.3%	(8.3-12.4)	28	3.0%	(1.3-4.7)
	Female	1314	67.8%	(64.7-71.0)	217	12.4%	(10.1-14.8)	200	9.1%	(7.4-10.8)	207	9.4%	(7.5-11.3)	15	1.2%	(0.2-2.3)
Mental Health Not Good (past month)	Yes (at least once)	798	61.6%	(57.6-65.5)	174	13.7%	(10.8-16.5)	178	13.6%	(11.0-16.3)	142	9.8%	(7.4-12.1)	11	1.4%	(0.1-2.6)
	None	1493	65.8%	(62.8-68.9)	239	12.0%	(9.9-14.1)	219	9.8%	(8.0-11.6)	243	9.8%	(8.0-11.6)	31	2.6%	(1.2-4.0)
DEPRESSIVE DISORDER	Yes	381	62.5%	(56.7-68.3)	79	15.2%	(10.5-19.8)	78	13.6%	(9.4-17.8)	69	8.2%	(5.5-10.8)	3	0.5%	(0.0-1.2)
	No	1847	64.2%	(61.5-66.9)	324	12.2%	(10.3-14.0)	312	11.2%	(9.5-12.9)	301	10.0%	(8.4-11.7)	36	2.4%	(1.2-3.6)
ANXIETY DISORDER	Yes	278	62.7%	(55.9-69.5)	53	14.0%	(8.6-19.4)	56	12.3%	(8.3-16.3)	54	10.8%	(6.2-15.4)	1	0.2%	(0.0-0.6)
	No	1948	64.2%	(61.5-66.8)	345	12.3%	(10.5-14.1)	332	11.5%	(9.8-13.2)	318	9.7%	(8.2-11.2)	37	2.4%	(1.2-3.5)
Depression	major depression	67	57.8%	(44.9-70.8)	19	12.9%	(5.4-20.4)	24	11.9%	(5.1-18.7)	26	14.6%	(5.5-23.8)	4	2.8%	(0.0-5.9)
	minor depression	83	52.8%	(40.5-65.2)	17	15.0%	(5.3-24.7)	25	17.0%	(8.5-25.6)	18	15.2%	(5.1-25.3)	0	.	(-.-)
	No depression	1969	65.7%	(63.1-68.3)	332	12.3%	(10.4-14.1)	314	11.0%	(9.3-12.7)	286	8.8%	(7.3-10.3)	30	2.2%	(1.0-3.4)
Gets social / emotional support	usually / always	1756	69.4%	(66.7-72.0)	286	12.0%	(10.1-13.9)	250	9.3%	(7.7-10.9)	234	9.0%	(7.3-10.6)	10	0.3%	(0.1-0.6)
	sometimes	237	57.9%	(50.7-65.2)	49	13.0%	(8.6-17.5)	65	16.3%	(10.9-21.7)	53	8.8%	(5.2-12.4)	8	3.9%	(0.1-7.8)
	rarely / never	213	47.3%	(39.6-55.1)	61	11.9%	(7.3-16.5)	71	17.7%	(12.4-22.9)	80	14.0%	(9.3-18.8)	21	9.1%	(3.5-14.6)
Used marijuana / hashish (past month)	Yes (at least once)	64	57.1%	(42.2-72.0)	11	10.6%	(0.9-20.4)	19	12.9%	(4.6-21.3)	16	18.4%	(6.0-30.7)	1	1.0%	(0.0-2.9)
	None	2095	64.3%	(61.8-66.8)	378	12.6%	(10.8-14.3)	355	11.3%	(9.6-12.9)	345	9.6%	(8.2-11.1)	35	2.2%	(1.1-3.3)
Binge Drinking	Not At Risk	1938	64.1%	(61.4-66.7)	347	12.8%	(11.0-14.6)	318	10.7%	(9.1-12.4)	326	10.1%	(8.6-11.7)	38	2.2%	(1.1-3.3)
	At Risk	322	65.8%	(59.8-71.8)	63	12.5%	(7.8-17.2)	67	14.4%	(10.2-18.7)	50	7.1%	(4.5-9.6)	2	0.2%	(0.0-0.6)
Diabetes	Yes (including F. during pregnancy)	205	54.0%	(46.7-61.3)	44	14.3%	(8.7-19.8)	44	12.9%	(7.6-18.2)	51	17.8%	(12.0-23.6)	3	1.0%	(0.0-2.7)
	No (or borderline)	2113	65.2%	(62.6-67.7)	374	12.4%	(10.7-14.2)	357	11.1%	(9.5-12.6)	339	9.1%	(7.7-10.5)	40	2.2%	(1.2-3.3)
Current Asthma	Yes	167	55.3%	(46.4-64.2)	42	20.2%	(12.0-28.4)	35	10.5%	(6.1-14.8)	46	13.8%	(8.2-19.4)	2	0.3%	(0.0-0.6)
	No	2132	65.0%	(62.5-67.5)	371	12.0%	(10.3-13.7)	362	11.4%	(9.7-13.0)	339	9.6%	(8.1-11.0)	39	2.1%	(1.1-3.1)
Newcomers	<=3 years	277	54.0%	(47.1-60.9)	81	14.2%	(9.8-18.6)	64	15.7%	(10.7-20.7)	52	12.3%	(7.5-17.1)	10	3.8%	(0.6-7.0)
	>3 years	1826	66.1%	(63.4-68.8)	300	12.5%	(10.5-14.4)	300	10.3%	(8.7-11.9)	295	9.3%	(7.8-10.8)	26	1.8%	(0.7-2.9)
Smoking Status	Not At Risk	1941	66.8%	(64.2-69.5)	307	12.5%	(10.6-14.4)	271	10.0%	(8.3-11.7)	252	8.3%	(6.8-9.8)	33	2.3%	(1.1-3.6)
	At Risk	372	55.2%	(49.7-60.7)	109	12.7%	(9.1-16.3)	127	15.3%	(11.9-18.7)	139	15.3%	(11.6-19.0)	10	1.5%	(0.2-2.7)
County	Clark	756	65.4%	(62.1-68.7)	137	13.1%	(10.7-15.4)	124	10.7%	(8.6-12.7)	119	9.2%	(7.2-11.1)	12	1.7%	(0.5-2.9)
	Washoe	820	66.2%	(62.9-69.5)	117	10.7%	(8.6-12.9)	117	11.8%	(9.3-14.3)	127	10.1%	(8.1-12.1)	5	1.1%	(0.0-2.3)
	Other counties	598	61.4%	(57.6-65.2)	125	13.9%	(11.2-16.6)	115	12.1%	(9.4-14.9)	106	10.9%	(8.6-13.3)	9	1.6%	(0.2-3.0)

**Table 02.A: At risk for not having visited a dentist, dental hygienist, or a dental clinic within the past year.
(All survey respondents)**

BRFSS 2006 : ORAL HEALTH		Not At Risk			At Risk		
		N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	2386	66.2%	(63.8-68.5)	1197	33.8%	(31.5-36.2)
Gender	Male	1033	62.1%	(58.6-65.7)	595	37.9%	(34.3-41.4)
	Female	1353	70.3%	(67.3-73.4)	602	29.7%	(26.6-32.7)
Race	White/Non-Hisp	1763	69.5%	(66.8-72.2)	782	30.5%	(27.8-33.2)
	Black or Af.Am./Non-Hisp	57	69.0%	(55.4-82.6)	27	31.0%	(17.4-44.6)
	Oth. Race/Non-Hisp	105	66.0%	(54.1-77.8)	54	34.0%	(22.2-45.9)
	Multiracial/Non-Hisp	169	68.1%	(60.1-76.0)	103	31.9%	(24.0-39.9)
	Hispanic	274	57.0%	(50.9-63.1)	210	43.0%	(36.9-49.1)
Age	18-24	137	70.4%	(61.8-79.0)	70	29.6%	(21.0-38.2)
	25-34	254	57.8%	(51.4-64.1)	174	42.2%	(35.9-48.6)
	35-44	434	72.5%	(67.7-77.3)	192	27.5%	(22.7-32.3)
	45-54	505	67.5%	(62.6-72.4)	238	32.5%	(27.6-37.4)
	55-64	511	68.1%	(62.9-73.3)	222	31.9%	(26.7-37.1)
	65+	545	62.1%	(57.6-66.6)	301	37.9%	(33.4-42.4)
Education	Less Than H.S.	154	46.5%	(38.7-54.4)	214	53.5%	(45.6-61.3)
	H.S. or G.E.D.	618	61.3%	(56.7-66.0)	385	38.7%	(34.0-43.3)
	Some Post-H.S.	759	68.3%	(64.3-72.2)	380	31.7%	(27.8-35.7)
	College Graduate	846	79.8%	(76.2-83.4)	214	20.2%	(16.6-23.8)
Income	Less than \$15,000	131	48.9%	(40.1-57.6)	184	51.1%	(42.4-59.9)
	\$15,000 to 24,999	209	47.2%	(39.7-54.8)	235	52.8%	(45.2-60.3)
	\$25,000 to 34,999	210	55.6%	(47.3-64.0)	151	44.4%	(36.0-52.7)
	\$35,000 to 49,999	359	67.3%	(61.4-73.1)	168	32.7%	(26.9-38.6)
	\$50,000 to 74,999	429	69.8%	(64.1-75.4)	156	30.2%	(24.6-35.9)
	\$75,000+	730	80.9%	(76.9-84.9)	145	19.1%	(15.1-23.1)
Health Status	Not At Risk	2044	69.2%	(66.6-71.7)	869	30.8%	(28.3-33.4)
	At Risk	342	53.4%	(47.3-59.5)	320	46.6%	(40.5-52.7)
Disability	Limited in any way	519	60.6%	(55.4-65.7)	336	39.4%	(34.3-44.6)
	No limitations	1856	68.0%	(65.3-70.6)	849	32.0%	(29.4-34.7)
Health Care Coverage	Has Coverage	2137	71.3%	(68.9-73.7)	864	28.7%	(26.3-31.1)
	No Coverage	237	47.7%	(41.2-54.1)	325	52.3%	(45.9-58.8)
Dental Care Coverage	Has Coverage	1596	77.4%	(74.8-80.1)	448	22.6%	(19.9-25.2)
	No Coverage	698	56.7%	(52.3-61.0)	516	43.3%	(39.0-47.7)
Weight Status	Not At Risk	870	70.2%	(66.1-74.2)	370	29.8%	(25.8-33.9)
	At Risk	1410	64.3%	(61.3-67.3)	765	35.7%	(32.7-38.7)
Leisure Time Physical Activity	Not At risk	1896	69.3%	(66.6-72.0)	786	30.7%	(28.0-33.4)
	At risk	486	57.9%	(52.9-62.8)	409	42.1%	(37.2-47.1)

Note: This table is calculated based on the results of two questions. Respondents who indicated that they had visited a dentist or dental clinic during the past year OR that they had their teeth "cleaned" by a dentist or dental hygienist during the past year are grouped as "not at risk."

**Table 02.B: At risk for not having visited a dentist, dental hygienist, or a dental clinic within the past year.
(All survey respondents)**

BRFSS 2006 : ORAL HEALTH		Not At Risk			At Risk		
		N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	2386	66.2%	(63.8-68.5)	1197	33.8%	(31.5-36.2)
Gender	Male	1033	62.1%	(58.6-65.7)	595	37.9%	(34.3-41.4)
	Female	1353	70.3%	(67.3-73.4)	602	29.7%	(26.6-32.7)
Mental Health Not Good (past month)	Yes (at least once)	825	63.1%	(59.2-67.1)	479	36.9%	(32.9-40.8)
	None	1529	68.1%	(65.1-71.0)	700	31.9%	(29.0-34.9)
DEPRESSIVE DISORDER	Yes	396	65.1%	(59.3-70.8)	214	34.9%	(29.2-40.7)
	No	1891	65.9%	(63.3-68.6)	934	34.1%	(31.4-36.7)
ANXIETY DISORDER	Yes	288	65.5%	(58.7-72.2)	154	34.5%	(27.8-41.3)
	No	1997	65.9%	(63.3-68.5)	988	34.1%	(31.5-36.7)
Depression	major depression	71	60.3%	(47.5-73.0)	69	39.7%	(27.0-52.5)
	minor depression	88	56.7%	(44.3-69.2)	55	43.3%	(30.8-55.7)
	No depression	2013	67.3%	(64.7-69.9)	921	32.7%	(30.1-35.3)
Gets social / emotional support	usually / always	1800	71.2%	(68.6-73.8)	740	28.8%	(26.2-31.4)
	sometimes	242	59.2%	(52.0-66.4)	170	40.8%	(33.6-48.0)
	rarely / never	223	50.2%	(42.5-57.9)	223	49.8%	(42.1-57.5)
Used marijuana / hashish (past month)	Yes (at least once)	65	57.6%	(42.7-72.5)	46	42.4%	(27.5-57.3)
	None	2151	66.2%	(63.7-68.7)	1062	33.8%	(31.3-36.3)
Binge Drinking	Not At Risk	1991	66.2%	(63.6-68.8)	980	33.8%	(31.2-36.4)
	At Risk	330	66.9%	(61.0-72.9)	175	33.1%	(27.1-39.0)
Diabetes	Yes (including F. during pregnancy)	214	56.5%	(49.2-63.8)	135	43.5%	(36.2-50.8)
	No (or borderline)	2169	67.1%	(64.6-69.6)	1058	32.9%	(30.4-35.4)
Current Asthma	Yes	175	58.1%	(49.3-67.0)	117	41.9%	(33.0-50.7)
	No	2188	67.0%	(64.5-69.4)	1061	33.0%	(30.6-35.5)
Newcomers	<=3 years	286	55.5%	(48.6-62.4)	198	44.5%	(37.6-51.4)
	>3 years	1873	68.0%	(65.4-70.6)	879	32.0%	(29.4-34.6)
Smoking Status	Not At Risk	1988	68.8%	(66.2-71.5)	821	31.2%	(28.5-33.8)
	At Risk	390	57.2%	(51.8-62.6)	368	42.8%	(37.4-48.2)
County	Clark	780	67.5%	(64.2-70.7)	370	32.5%	(29.3-35.8)
	Washoe	834	67.6%	(64.3-70.9)	354	32.4%	(29.1-35.7)
	Other counties	620	63.6%	(59.8-67.4)	334	36.4%	(32.6-40.2)

Note: This table is calculated based on the results of two questions. Respondents who indicated that they had visited a dentist or dental clinic during the past year OR that they had their teeth "cleaned" by a dentist or dental hygienist during the past year are grouped as "not at risk."

Table 03.A: Number of permanent teeth removed because of tooth decay or gum disease. (All survey respondents)

BRFSS 2006: ORAL HEALTH		1 to 5			6 or more, but not all			All			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	1046	29.8%	(27.5-32.1)	517	12.0%	(10.5-13.4)	242	5.0%	(4.1-5.9)	1704	53.3%	(50.8-55.8)
Gender	Male	466	29.4%	(25.9-32.8)	246	11.4%	(9.5-13.2)	95	4.4%	(3.1-5.7)	792	54.8%	(51.2-58.5)
	Female	580	30.2%	(27.1-33.2)	271	12.6%	(10.4-14.7)	147	5.6%	(4.2-6.9)	912	51.7%	(48.3-55.1)
Race	White/Non-Hisp	698	26.7%	(24.1-29.3)	379	13.7%	(11.9-15.6)	188	6.1%	(4.8-7.3)	1227	53.5%	(50.6-56.4)
	Black or Af.Am.	31	38.5%	(24.2-52.8)	19	14.6%	(6.9-22.3)	6	3.9%	(0.6-7.2)	26	43.0%	(28.2-57.8)
	Oth. Race/Non-Hisp	53	30.6%	(19.8-41.3)	22	7.9%	(3.2-12.6)	9	4.2%	(0.7-7.7)	67	57.3%	(45.2-69.5)
	Multiracial/Non-Hisp	74	34.0%	(24.8-43.2)	48	14.4%	(7.7-21.1)	24	8.2%	(3.1-13.2)	124	43.4%	(34.4-52.4)
	Hispanic	181	35.5%	(29.7-41.3)	44	7.0%	(4.4-9.6)	11	1.3%	(0.3-2.2)	241	56.3%	(50.2-62.3)
Age	18-24	30	18.4%	(10.6-26.3)	5	1.7%	(0.0-3.3)	1	0.1%	(0.0-0.3)	174	79.8%	(71.9-87.7)
	25-34	102	26.0%	(20.3-31.6)	14	2.9%	(0.9-4.8)	2	0.8%	(0.0-2.2)	309	70.4%	(64.5-76.2)
	35-44	171	31.1%	(25.8-36.4)	45	7.7%	(4.4-11.0)	7	1.0%	(0.1-2.0)	398	60.1%	(54.6-65.7)
	45-54	250	36.0%	(30.9-41.1)	87	11.6%	(8.3-14.8)	36	5.5%	(2.9-8.1)	356	46.9%	(41.7-52.2)
	55-64	240	33.8%	(28.4-39.1)	159	25.8%	(21.0-30.6)	53	5.8%	(3.6-7.9)	268	34.7%	(29.5-39.8)
	65+	253	31.0%	(26.8-35.3)	207	25.8%	(21.8-29.7)	143	18.4%	(14.6-22.2)	199	24.8%	(20.9-28.7)
Education	Less Than H.S.	136	42.2%	(34.5-49.9)	63	11.1%	(7.3-15.0)	36	5.0%	(2.7-7.3)	128	41.6%	(33.6-49.7)
	H.S. or G.E.D.	296	28.0%	(23.8-32.3)	186	13.4%	(10.8-15.9)	95	7.3%	(5.0-9.6)	406	51.3%	(46.4-56.1)
	Some Post-H.S.	343	28.9%	(25.0-32.9)	167	13.9%	(10.9-16.8)	73	5.4%	(3.6-7.2)	520	51.8%	(47.3-56.3)
	College Graduate	268	25.3%	(21.5-29.1)	100	9.1%	(6.8-11.5)	36	2.0%	(1.2-2.8)	645	63.5%	(59.4-67.6)
Income	Less than \$15,000	87	27.1%	(19.7-34.4)	78	15.6%	(10.8-20.4)	51	10.2%	(5.7-14.7)	94	47.1%	(38.1-56.1)
	\$15,000 to 24,999	141	32.4%	(25.5-39.4)	81	12.9%	(9.0-16.8)	48	7.0%	(4.1-9.9)	158	47.7%	(39.9-55.4)
	\$25,000 to 34,999	109	31.4%	(23.2-39.6)	62	14.5%	(9.6-19.4)	29	6.6%	(3.4-9.8)	145	47.4%	(38.6-56.3)
	\$35,000 to 49,999	166	33.4%	(27.1-39.7)	87	15.4%	(11.2-19.6)	27	2.9%	(1.4-4.3)	237	48.4%	(41.9-54.9)
	\$50,000 to 74,999	169	27.7%	(22.4-33.1)	75	13.0%	(8.8-17.3)	19	3.8%	(1.6-6.0)	316	55.4%	(49.5-61.4)
	\$75,000+	219	24.5%	(20.4-28.6)	71	8.6%	(6.1-11.1)	20	2.4%	(0.9-3.9)	560	64.5%	(60.0-69.0)
Health Status	Not At Risk	855	29.5%	(27.0-32.0)	335	9.5%	(8.1-10.9)	150	4.0%	(3.1-5.0)	1517	57.0%	(54.3-59.7)
	At Risk	189	31.0%	(25.2-36.7)	180	23.1%	(18.5-27.6)	91	9.1%	(6.4-11.8)	185	36.9%	(30.3-43.5)
Disability	Limited in any way	263	34.8%	(29.4-40.1)	199	21.3%	(17.4-25.2)	97	8.1%	(5.8-10.5)	271	35.8%	(30.6-41.1)
	No limitations	778	28.7%	(26.1-31.2)	316	9.7%	(8.2-11.2)	141	4.2%	(3.2-5.2)	1422	57.5%	(54.7-60.3)
Health Care Coverage	Has Coverage	853	28.6%	(26.1-31.0)	444	13.0%	(11.4-14.7)	217	5.8%	(4.7-6.9)	1420	52.6%	(50.0-55.3)
	No Coverage	186	33.7%	(27.8-39.5)	71	8.7%	(6.0-11.5)	25	2.3%	(0.8-3.9)	274	55.3%	(49.0-61.5)
Dental Care Coverage	Has Coverage	623	30.6%	(27.6-33.7)	257	11.6%	(9.7-13.5)	0	-%	(-)	1129	57.8%	(54.6-61.0)
	No Coverage	406	34.1%	(29.9-38.3)	242	14.1%	(11.6-16.5)	0	-%	(-)	528	51.8%	(47.2-56.3)
Weight Status	Not At Risk	348	29.5%	(25.4-33.6)	151	8.5%	(6.6-10.3)	88	5.4%	(3.8-7.1)	629	56.6%	(52.2-61.0)
	At Risk	642	29.1%	(26.2-32.0)	356	14.7%	(12.7-16.8)	139	4.7%	(3.5-5.8)	993	51.5%	(48.3-54.6)
Leisure Time Physical Activity	Not At risk	774	29.1%	(26.4-31.7)	327	9.7%	(8.3-11.1)	148	4.7%	(3.6-5.8)	1384	56.5%	(53.7-59.4)
	At risk	272	31.8%	(27.2-36.5)	186	17.9%	(14.4-21.4)	93	5.7%	(4.0-7.3)	319	44.6%	(39.4-49.9)

Table 03.B: Number of permanent teeth removed because of tooth decay or gum disease. (All survey respondents)

BRFSS 2006 : ORAL HEALTH		1 to 5			6 or more, but not all			All			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	1046	29.8%	(27.5-32.1)	517	12.0%	(10.5-13.4)	242	5.0%	(4.1-5.9)	1704	53.3%	(50.8-55.8)
Gender	Male	466	29.4%	(25.9-32.8)	246	11.4%	(9.5-13.2)	95	4.4%	(3.1-5.7)	792	54.8%	(51.2-58.5)
	Female	580	30.2%	(27.1-33.2)	271	12.6%	(10.4-14.7)	147	5.6%	(4.2-6.9)	912	51.7%	(48.3-55.1)
Mental Health Not Good (past month)	Yes (at least once)	360	29.6%	(25.7-33.6)	188	12.9%	(10.5-15.3)	79	4.1%	(2.7-5.5)	649	53.4%	(49.2-57.5)
	None	675	29.9%	(27.1-32.8)	320	11.4%	(9.6-13.1)	157	5.3%	(4.1-6.5)	1035	53.4%	(50.2-56.6)
DEPRESSIVE DISORDER	Yes	187	30.8%	(25.3-36.2)	102	16.4%	(12.3-20.5)	58	6.9%	(4.4-9.3)	254	46.0%	(40.0-52.0)
	No	814	28.9%	(26.3-31.5)	394	11.4%	(9.9-13.0)	172	4.6%	(3.6-5.6)	1386	55.0%	(52.2-57.8)
ANXIETY DISORDER	Yes	136	33.1%	(26.6-39.5)	76	14.8%	(10.4-19.2)	41	6.7%	(3.9-9.6)	177	45.4%	(38.4-52.5)
	No	857	28.6%	(26.1-31.1)	422	11.9%	(10.4-13.5)	187	4.7%	(3.7-5.7)	1462	54.8%	(52.1-57.5)
Depression	major depression	40	31.3%	(17.9-44.7)	35	20.7%	(11.2-30.2)	22	11.1%	(4.1-18.2)	37	36.9%	(21.8-52.0)
	minor depression	55	43.2%	(30.8-55.7)	31	22.2%	(12.7-31.8)	10	7.1%	(0.0-14.2)	45	27.4%	(16.9-38.0)
	No depression	843	28.4%	(25.9-30.8)	388	10.9%	(9.4-12.4)	177	4.3%	(3.4-5.3)	1474	56.3%	(53.6-59.0)
Gets social / emotional support	usually / always	715	27.5%	(24.9-30.1)	338	11.8%	(10.1-13.5)	154	4.8%	(3.7-5.9)	1287	55.9%	(53.0-58.7)
	sometimes	127	30.3%	(23.4-37.1)	68	12.6%	(8.6-16.5)	28	4.1%	(1.8-6.5)	185	53.0%	(45.7-60.4)
	rarely / never	150	38.1%	(30.6-45.7)	84	12.4%	(8.6-16.1)	48	6.4%	(3.7-9.1)	152	43.1%	(35.0-51.2)
Used marijuana / hashish (past month)	Yes (at least once)	37	34.7%	(20.6-48.9)	9	7.0%	(1.3-12.6)	5	1.4%	(0.0-2.9)	59	56.9%	(42.2-71.6)
	None	928	28.6%	(26.3-31.0)	469	12.4%	(10.8-13.9)	216	5.1%	(4.1-6.2)	1534	53.9%	(51.3-56.5)
Binge Drinking	Not At Risk	874	29.9%	(27.4-32.4)	458	13.0%	(11.3-14.6)	214	5.5%	(4.4-6.6)	1363	51.6%	(48.9-54.4)
	At Risk	138	28.7%	(22.5-34.8)	51	8.4%	(5.4-11.3)	19	2.2%	(0.6-3.7)	291	60.8%	(54.4-67.2)
Diabetes	Yes (including F. during pregnancy)	104	30.6%	(23.8-37.3)	94	30.6%	(23.8-37.4)	39	9.7%	(5.9-13.6)	96	29.1%	(22.2-36.0)
	No (or borderline)	937	29.6%	(27.2-32.1)	423	10.4%	(9.0-11.8)	203	4.6%	(3.6-5.5)	1606	55.4%	(52.8-58.1)
Current Asthma	Yes	72	22.5%	(15.5-29.4)	52	16.7%	(10.6-22.8)	25	5.8%	(2.6-9.0)	135	55.0%	(46.2-63.8)
	No	969	30.7%	(28.3-33.2)	461	11.6%	(10.1-13.1)	213	4.9%	(3.9-5.8)	1543	52.8%	(50.2-55.4)
Newcomers	<=3 years	139	27.4%	(21.4-33.3)	60	9.4%	(6.4-12.4)	16	1.2%	(0.5-1.9)	266	62.0%	(55.6-68.4)
	>3 years	807	29.0%	(26.5-31.6)	404	12.8%	(11.0-14.5)	195	5.7%	(4.5-6.9)	1284	52.5%	(49.6-55.3)
Smoking Status	Not At Risk	805	27.8%	(25.4-30.3)	338	10.2%	(8.7-11.7)	165	4.3%	(3.4-5.3)	1449	57.6%	(54.9-60.4)
	At Risk	236	36.4%	(30.8-42.0)	177	18.3%	(14.7-21.9)	75	7.2%	(4.8-9.6)	249	38.2%	(32.4-43.9)
County	Clark	340	30.4%	(27.1-33.6)	177	12.3%	(10.3-14.3)	74	4.9%	(3.6-6.2)	532	52.5%	(49.0-55.9)
	Washoe	330	25.0%	(22.2-27.8)	147	10.4%	(8.5-12.3)	76	4.2%	(3.2-5.3)	614	60.3%	(57.1-63.5)
	Other counties	274	27.7%	(24.3-31.0)	142	13.1%	(10.7-15.5)	73	6.1%	(4.6-7.7)	445	53.1%	(49.3-56.9)

Table 04.A: Number of permanent teeth removed because of tooth decay or gum disease. (Only age 65+)

BRFSS 2006 : ORAL HEALTH		1 to 5			6 or more, but not all			All			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	253	31.0%	(26.7-35.3)	207	25.8%	(21.8-29.8)	143	18.4%	(14.6-22.3)	199	24.8%	(20.8-28.7)
Gender	Male	95	28.4%	(21.9-34.9)	103	29.0%	(22.7-35.3)	56	17.4%	(11.6-23.2)	86	25.1%	(19.1-31.2)
	Female	158	33.3%	(27.6-39.0)	104	22.9%	(17.8-28.0)	87	19.3%	(14.3-24.4)	113	24.5%	(19.3-29.6)
Race	White/Non-Hisp	214	30.6%	(25.9-35.2)	171	27.1%	(22.6-31.6)	113	16.4%	(12.5-20.4)	166	25.9%	(21.5-30.3)
	Black or Af.Am.	5	33.6%	(6.7-60.5)	2	15.2%	(0.0-34.9)	5	45.6%	(16.3-75.0)	1	5.6%	(0.0-16.4)
	Oth. Race/Non-Hisp	8	36.8%	(13.7-59.9)	7	12.7%	(1.3-24.2)	7	25.3%	(4.7-45.9)	7	25.2%	(4.2-46.1)
	Multiracial/Non-Hisp	15	36.2%	(18.1-54.2)	16	15.8%	(6.0-25.6)	12	33.9%	(14.3-53.5)	8	14.1%	(2.6-25.6)
	Hispanic	8	26.4%	(7.0-45.7)	9	31.8%	(11.4-52.2)	3	10.9%	(0.0-25.1)	15	30.9%	(12.7-49.2)
Age	65+	253	31.0%	(26.7-35.3)	207	25.8%	(21.8-29.8)	143	18.4%	(14.6-22.3)	199	24.8%	(20.8-28.7)
Education	Less Than H.S.	16	24.2%	(10.8-37.7)	19	26.2%	(12.7-39.8)	22	36.0%	(20.1-51.8)	11	13.6%	(3.5-23.7)
	H.S. or G.E.D.	66	22.3%	(15.6-29.0)	75	27.6%	(20.4-34.8)	61	26.3%	(18.3-34.2)	55	23.8%	(16.6-31.1)
	Some Post-H.S.	96	33.7%	(25.9-41.5)	71	30.0%	(22.4-37.6)	36	14.8%	(8.6-21.1)	61	21.4%	(15.1-27.7)
	College Graduate	74	38.9%	(30.5-47.4)	41	19.2%	(12.6-25.7)	22	7.2%	(3.5-11.0)	72	34.7%	(26.4-42.9)
Income	Less than \$15,000	18	17.3%	(8.1-26.5)	33	34.3%	(21.5-47.2)	29	34.5%	(21.1-47.8)	12	13.9%	(4.7-23.2)
	\$15,000 to 24,999	34	21.9%	(13.3-30.6)	45	31.6%	(21.1-42.1)	35	27.6%	(16.5-38.8)	25	18.8%	(9.6-28.0)
	\$25,000 to 34,999	28	20.7%	(10.9-30.4)	24	32.3%	(19.5-45.0)	22	33.3%	(19.0-47.5)	15	13.8%	(5.6-22.1)
	\$35,000 to 49,999	52	35.0%	(24.7-45.4)	32	27.7%	(17.4-38.0)	13	7.3%	(2.5-12.2)	39	29.9%	(19.9-39.9)
	\$50,000 to 74,999	27	34.5%	(20.4-48.7)	20	20.7%	(9.7-31.7)	6	9.0%	(0.3-17.7)	31	35.8%	(22.6-48.9)
	\$75,000+	34	34.5%	(22.5-46.5)	18	19.9%	(9.6-30.1)	9	10.4%	(1.2-19.6)	38	35.3%	(23.3-47.3)
Health Status	Not At Risk	206	34.2%	(29.1-39.3)	143	22.6%	(18.2-27.0)	94	15.3%	(11.4-19.3)	167	27.9%	(23.1-32.6)
	At Risk	47	21.6%	(13.9-29.3)	63	35.2%	(26.3-44.1)	48	27.7%	(18.6-36.9)	32	15.5%	(9.0-21.9)
Disability	Limited in any way	80	28.8%	(21.7-35.9)	84	33.9%	(26.3-41.5)	50	20.5%	(13.2-27.9)	47	16.8%	(10.8-22.7)
	No limitations	171	32.2%	(26.8-37.5)	122	22.2%	(17.5-26.9)	91	17.5%	(13.0-21.9)	151	28.2%	(23.2-33.2)
Health Care Coverage	Has Coverage	245	31.0%	(26.6-35.3)	202	25.4%	(21.4-29.4)	137	18.4%	(14.5-22.3)	194	25.3%	(21.2-29.3)
	No Coverage	7	31.6%	(6.1-57.2)	4	37.0%	(6.7-67.2)	6	22.8%	(2.1-43.6)	5	8.5%	(0.0-17.3)
Dental Care Coverage	Has Coverage	117	41.6%	(34.1-49.1)	78	26.5%	(19.8-33.3)	0	-%	(-)	92	31.9%	(24.9-38.8)
	No Coverage	133	36.8%	(30.1-43.6)	118	32.8%	(26.4-39.1)	0	-%	(-)	105	30.4%	(24.0-36.8)
Weight Status	Not At Risk	87	27.1%	(20.4-33.8)	68	23.3%	(16.8-29.9)	57	23.7%	(16.2-31.3)	77	25.8%	(19.1-32.5)
	At Risk	156	32.5%	(26.9-38.1)	136	28.3%	(23.0-33.5)	78	14.3%	(10.3-18.3)	117	25.0%	(19.9-30.0)
Leisure Time Physical Activity	Not At risk	185	32.3%	(27.1-37.4)	133	22.0%	(17.5-26.4)	88	17.7%	(13.1-22.3)	153	28.0%	(23.1-33.0)
	At risk	68	28.6%	(20.7-36.5)	72	33.6%	(25.6-41.6)	54	20.2%	(13.3-27.2)	46	17.6%	(11.5-23.7)

Table 04.B: Number of permanent teeth removed because of tooth decay or gum disease. (Only age 65+)

BRFSS 2006 : ORAL HEALTH		1 to 5			6 or more, but not all			All			None		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	253	31.0%	(26.7-35.3)	207	25.8%	(21.8-29.8)	143	18.4%	(14.6-22.3)	199	24.8%	(20.8-28.7)
Gender	Male	95	28.4%	(21.9-34.9)	103	29.0%	(22.7-35.3)	56	17.4%	(11.6-23.2)	86	25.1%	(19.1-31.2)
	Female	158	33.3%	(27.6-39.0)	104	22.9%	(17.8-28.0)	87	19.3%	(14.3-24.4)	113	24.5%	(19.3-29.6)
Mental Health Not Good (past month)	Yes (at least once)	54	32.6%	(22.6-42.6)	43	32.6%	(22.6-42.7)	30	17.0%	(9.5-24.5)	32	17.8%	(10.3-25.3)
	None	196	31.1%	(26.2-35.9)	160	24.4%	(20.0-28.8)	108	18.0%	(13.8-22.3)	165	26.5%	(21.9-31.0)
DEPRESSIVE DISORDER	Yes	32	28.9%	(15.9-41.9)	26	34.6%	(21.2-47.9)	24	24.5%	(13.0-36.1)	12	12.0%	(3.5-20.5)
	No	209	30.3%	(25.7-34.9)	173	25.5%	(21.1-29.8)	110	17.3%	(13.2-21.5)	179	26.9%	(22.5-31.3)
ANXIETY DISORDER	Yes	16	32.2%	(14.8-49.7)	18	35.5%	(18.7-52.2)	10	11.2%	(2.6-19.7)	11	21.1%	(6.2-36.0)
	No	223	29.9%	(25.4-34.3)	183	26.1%	(21.8-30.4)	123	18.3%	(14.2-22.5)	180	25.7%	(21.4-29.9)
Depression	major depression	3	9.7%	(0.0-24.5)	6	34.9%	(6.8-62.9)	9	44.2%	(12.9-75.5)	2	11.2%	(0.0-28.9)
	minor depression	12	50.6%	(27.0-74.1)	9	35.8%	(13.5-58.1)	3	3.8%	(0.0-8.5)	4	9.8%	(0.0-21.2)
	No depression	205	30.6%	(25.9-35.3)	164	25.1%	(20.7-29.6)	108	17.3%	(13.1-21.4)	167	27.0%	(22.5-31.6)
Gets social / emotional support	usually / always	177	30.9%	(26.0-35.8)	141	25.3%	(20.6-30.0)	86	15.8%	(11.6-20.0)	154	28.0%	(23.1-32.9)
	sometimes	24	29.9%	(13.4-46.4)	22	30.6%	(15.9-45.2)	15	19.5%	(4.9-34.1)	16	20.1%	(8.4-31.7)
	rarely / never	39	30.4%	(19.0-41.7)	32	25.3%	(15.0-35.7)	33	27.8%	(16.3-39.2)	17	16.5%	(7.1-26.0)
Used marijuana / hashish (past month)	Yes (at least once)	1	25.9%	(0.0-71.2)	1	45.1%	(0.0-100.0)	2	29.0%	(0.0-70.4)	0	.	(-.)
	None	234	30.4%	(26.0-34.8)	189	25.7%	(21.5-29.9)	128	17.8%	(13.9-21.8)	187	26.0%	(21.8-30.2)
Binge Drinking	Not At Risk	237	31.2%	(26.7-35.7)	191	25.8%	(21.6-30.0)	130	18.5%	(14.5-22.5)	178	24.5%	(20.4-28.6)
	At Risk	10	32.7%	(13.0-52.4)	11	31.7%	(13.4-50.0)	6	7.2%	(0.4-14.0)	12	28.4%	(9.2-47.5)
Diabetes	Yes (including F. during pregnancy)	43	37.0%	(25.6-48.3)	36	29.0%	(19.1-38.9)	21	16.2%	(8.0-24.4)	26	17.9%	(9.9-25.8)
	No (or borderline)	208	29.5%	(25.0-34.1)	171	25.1%	(20.7-29.4)	122	19.0%	(14.7-23.3)	173	26.4%	(22.0-30.9)
Current Asthma	Yes	21	33.7%	(17.8-49.5)	12	24.2%	(8.1-40.3)	12	18.1%	(6.2-30.0)	11	24.0%	(8.2-39.9)
	No	230	30.8%	(26.3-35.2)	194	26.0%	(21.8-30.1)	130	18.3%	(14.3-22.3)	187	24.9%	(20.9-29.0)
Newcomers	<=3 years	23	32.4%	(18.2-46.6)	18	34.8%	(19.6-50.0)	9	8.2%	(1.9-14.5)	21	24.6%	(13.2-36.1)
	>3 years	209	31.0%	(26.3-35.8)	161	24.6%	(20.2-29.0)	113	18.4%	(14.1-22.8)	155	25.9%	(21.4-30.5)
Smoking Status	Not At Risk	231	32.1%	(27.5-36.8)	164	24.7%	(20.4-29.0)	115	16.7%	(12.8-20.7)	182	26.4%	(22.1-30.7)
	At Risk	22	23.7%	(12.6-34.8)	42	33.4%	(21.9-44.8)	26	30.5%	(17.7-43.3)	15	12.4%	(4.4-20.5)
County	Clark	82	30.5%	(24.4-36.6)	76	27.2%	(21.4-32.9)	45	17.4%	(12.2-22.6)	67	25.0%	(19.3-30.6)
	Washoe	83	33.4%	(27.1-39.8)	62	23.6%	(17.8-29.4)	44	16.0%	(11.3-20.8)	61	26.9%	(20.7-33.1)
	Other counties	77	32.9%	(26.2-39.7)	55	23.1%	(17.1-29.1)	41	17.1%	(11.7-22.6)	60	26.9%	(20.4-33.3)

Table 05.A: At risk for having had some/all permanent teeth extracted. (All survey respondents)

BRFSS 2006 : ORAL HEALTH		Not At Risk			At Risk		
		N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	1704	53.3%	(50.8-55.8)	1805	46.7%	(44.2-49.2)
Gender	Male	792	54.8%	(51.2-58.5)	807	45.2%	(41.5-48.8)
	Female	912	51.7%	(48.3-55.1)	998	48.3%	(44.9-51.7)
Race	White/Non-Hisp	1227	53.5%	(50.6-56.4)	1265	46.5%	(43.6-49.4)
	Black or Af.Am./Non-Hisp	26	43.0%	(28.2-57.8)	56	57.0%	(42.2-71.8)
	Oth. Race/Non-Hisp	67	57.3%	(45.2-69.5)	84	42.7%	(30.5-54.8)
	Multiracial/Non-Hisp	124	43.4%	(34.4-52.4)	146	56.6%	(47.6-65.6)
	Hispanic	241	56.3%	(50.2-62.3)	236	43.7%	(37.7-49.8)
Age	18-24	174	79.8%	(71.9-87.7)	36	20.2%	(12.3-28.1)
	25-34	309	70.4%	(64.5-76.2)	118	29.6%	(23.8-35.5)
	35-44	398	60.1%	(54.6-65.7)	223	39.9%	(34.3-45.4)
	45-54	356	46.9%	(41.7-52.2)	373	53.1%	(47.8-58.3)
	55-64	268	34.7%	(29.5-39.8)	452	65.3%	(60.2-70.5)
	65+	199	24.8%	(20.9-28.7)	603	75.2%	(71.3-79.1)
Education	Less Than H.S.	128	41.6%	(33.6-49.7)	235	58.4%	(50.3-66.4)
	H.S. or G.E.D.	406	51.3%	(46.4-56.1)	577	48.7%	(43.9-53.6)
	Some Post-H.S.	520	51.8%	(47.3-56.3)	583	48.2%	(43.7-52.7)
	College Graduate	645	63.5%	(59.4-67.6)	404	36.5%	(32.4-40.6)
Income	Less than \$15,000	94	47.1%	(38.1-56.1)	216	52.9%	(43.9-61.9)
	\$15,000 to 24,999	158	47.7%	(39.9-55.4)	270	52.3%	(44.6-60.1)
	\$25,000 to 34,999	145	47.4%	(38.6-56.3)	200	52.6%	(43.7-61.4)
	\$35,000 to 49,999	237	48.4%	(41.9-54.9)	280	51.6%	(45.1-58.1)
	\$50,000 to 74,999	316	55.4%	(49.5-61.4)	263	44.6%	(38.6-50.5)
	\$75,000+	560	64.5%	(60.0-69.0)	310	35.5%	(31.0-40.0)
Health Status	Not At Risk	1517	57.0%	(54.3-59.7)	1340	43.0%	(40.3-45.7)
	At Risk	185	36.9%	(30.3-43.5)	460	63.1%	(56.5-69.7)
Disability	Limited in any way	271	35.8%	(30.6-41.1)	559	64.2%	(58.9-69.4)
	No limitations	1422	57.5%	(54.7-60.3)	1235	42.5%	(39.7-45.3)
Health Care Coverage	Has Coverage	1420	52.6%	(50.0-55.3)	1514	47.4%	(44.7-50.0)
	No Coverage	274	55.3%	(49.0-61.5)	282	44.7%	(38.5-51.0)
Dental Care Coverage	Has Coverage	1129	57.8%	(54.6-61.0)	880	42.2%	(39.0-45.4)
	No Coverage	528	51.8%	(43.3-56.3)	648	48.2%	(43.7-52.7)
Weight Status	Not At Risk	629	56.6%	(52.2-61.0)	587	43.4%	(39.0-47.8)
	At Risk	993	51.5%	(48.3-54.6)	1137	48.5%	(45.4-51.7)
Leisure Time Physical Activity	Not At risk	1384	56.5%	(53.7-59.4)	1249	43.5%	(40.6-46.3)
	At risk	319	44.6%	(39.4-49.9)	551	55.4%	(50.1-60.6)

Table 05.B: At risk for having had some/all permanent teeth extracted. (All survey respondents)

BRFSS 2006 : ORAL HEALTH		Not At Risk			At Risk		
		N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	1704	53.3%	(50.8-55.8)	1805	46.7%	(44.2-49.2)
Gender	Male	792	54.8%	(51.2-58.5)	807	45.2%	(41.5-48.8)
	Female	912	51.7%	(48.3-55.1)	998	48.3%	(44.9-51.7)
Mental Health Not Good (past month)	Yes (at least once)	649	53.4%	(49.2-57.5)	627	46.6%	(42.5-50.8)
	None	1035	53.4%	(50.2-56.6)	1152	46.6%	(43.4-49.8)
DEPRESSIVE DISORDER	Yes	254	46.0%	(40.0-52.0)	347	54.0%	(48.0-60.0)
	No	1386	55.0%	(52.2-57.8)	1380	45.0%	(42.2-47.8)
ANXIETY DISORDER	Yes	177	45.4%	(38.4-52.5)	253	54.6%	(47.5-61.6)
	No	1462	54.8%	(52.1-57.5)	1466	45.2%	(42.5-47.9)
Depression	major depression	37	36.9%	(21.8-52.0)	97	63.1%	(48.0-78.2)
	minor depression	45	27.4%	(16.9-38.0)	96	72.6%	(62.0-83.1)
	No depression	1474	56.3%	(53.6-59.0)	1408	43.7%	(41.0-46.4)
Gets social / emotional support	usually / always	1287	55.9%	(53.0-58.7)	1207	44.1%	(41.3-47.0)
	sometimes	185	53.0%	(45.7-60.4)	223	47.0%	(39.6-54.3)
	rarely / never	152	43.1%	(35.0-51.2)	282	56.9%	(48.8-65.0)
Used marijuana / hashish (past month)	Yes (at least once)	59	56.9%	(42.2-71.6)	51	43.1%	(28.4-57.8)
	None	1534	53.9%	(51.3-56.5)	1613	46.1%	(43.5-48.7)
Binge Drinking	Not At Risk	1363	51.6%	(48.9-54.4)	1546	48.4%	(45.6-51.1)
	At Risk	291	60.8%	(54.4-67.2)	208	39.2%	(32.8-45.6)
Diabetes	Yes (including F. during pregnancy)	96	29.1%	(22.2-36.0)	237	70.9%	(64.0-77.8)
	No (or borderline)	1606	55.4%	(52.8-58.1)	1563	44.6%	(41.9-47.2)
Current Asthma	Yes	135	55.0%	(46.2-63.8)	149	45.0%	(36.2-53.8)
	No	1543	52.8%	(50.2-55.4)	1643	47.2%	(44.6-49.8)
Newcomers	<=3 years	266	62.0%	(55.6-68.4)	215	38.0%	(31.6-44.4)
	>3 years	1284	52.5%	(49.6-55.3)	1406	47.5%	(44.7-50.4)
Smoking Status	Not At Risk	1449	57.6%	(54.9-60.4)	1308	42.4%	(39.6-45.1)
	At Risk	249	38.2%	(32.4-43.9)	488	61.8%	(56.1-67.6)
County	Clark	532	52.5%	(49.0-55.9)	591	47.5%	(44.1-51.0)
	Washoe	614	60.3%	(57.1-63.5)	553	39.7%	(36.5-42.9)
	Other counties	445	53.1%	(49.3-56.9)	489	46.9%	(43.1-50.7)

Table 06.A: At risk for having had all permanent teeth extracted. (Only Age 65+)

BRFSS 2006 : ORAL HEALTH		Not At Risk			At Risk		
		N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	659	81.6%	(77.7-85.4)	143	18.4%	(14.6-22.3)
Gender	Male	284	82.6%	(76.8-88.4)	56	17.4%	(11.6-23.2)
	Female	375	80.7%	(75.6-85.7)	87	19.3%	(14.3-24.4)
Race	White/Non-Hisp	551	83.6%	(79.6-87.5)	113	16.4%	(12.5-20.4)
	Black or Af.Am./Non-Hisp	8	54.4%	(25.0-83.7)	5	45.6%	(16.3-75.0)
	Oth. Race/Non-Hisp	22	74.7%	(54.1-95.3)	7	25.3%	(4.7-45.9)
	Multiracial/Non-Hisp	39	66.1%	(46.5-85.7)	12	33.9%	(14.3-53.5)
	Hispanic	32	89.1%	(74.9-100.0)	3	10.9%	(0.0-25.1)
Age	65+	659	81.6%	(77.7-85.4)	143	18.4%	(14.6-22.3)
Education	Less Than H.S.	46	64.0%	(48.2-79.9)	22	36.0%	(20.1-51.8)
	H.S. or G.E.D.	196	73.7%	(65.8-81.7)	61	26.3%	(18.3-34.2)
	Some Post-H.S.	228	85.2%	(78.9-91.4)	36	14.8%	(8.6-21.1)
	College Graduate	187	92.8%	(89.0-96.5)	22	7.2%	(3.5-11.0)
Income	Less than \$15,000	63	65.5%	(52.2-78.9)	29	34.5%	(21.1-47.8)
	\$15,000 to 24,999	104	72.4%	(61.2-83.5)	35	27.6%	(16.5-38.8)
	\$25,000 to 34,999	67	66.7%	(52.5-81.0)	22	33.3%	(19.0-47.5)
	\$35,000 to 49,999	123	92.7%	(87.8-97.5)	13	7.3%	(2.5-12.2)
	\$50,000 to 74,999	78	91.0%	(82.3-99.7)	6	9.0%	(0.3-17.7)
	\$75,000+	90	89.6%	(80.4-98.8)	9	10.4%	(1.2-19.6)
Health Status	Not At Risk	516	84.7%	(80.7-88.6)	94	15.3%	(11.4-19.3)
	At Risk	142	72.3%	(63.1-81.4)	48	27.7%	(18.6-36.9)
Disability	Limited in any way	211	79.5%	(72.1-86.8)	50	20.5%	(13.2-27.9)
	No limitations	444	82.5%	(78.1-87.0)	91	17.5%	(13.0-21.9)
Health Care Coverage	Has Coverage	641	81.6%	(77.7-85.5)	137	18.4%	(14.5-22.3)
	No Coverage	16	77.2%	(56.4-97.9)	6	22.8%	(2.1-43.6)
Dental Care Coverage	Has Coverage	287	43.4%	(38.3-48.4)	0	-%	(-)
	No Coverage	356	56.6%	(51.6-61.7)	0	-%	(-)
Weight Status	Not At Risk	232	76.3%	(68.7-83.8)	57	23.7%	(16.2-31.3)
	At Risk	409	85.7%	(81.7-89.7)	78	14.3%	(10.3-18.3)
Leisure Time Physical Activity	Not at risk	471	82.3%	(77.7-86.9)	88	17.7%	(13.1-22.3)
	At risk	186	79.8%	(72.8-86.7)	54	20.2%	(13.3-27.2)

Table 06.B: At risk for having had all permanent teeth extracted. (Only age 65+)

BRFSS 2006 : ORAL HEALTH		Not At Risk			At Risk		
		N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	659	81.6%	(77.7-85.4)	143	18.4%	(14.6-22.3)
Gender	Male	284	82.6%	(76.8-88.4)	56	17.4%	(11.6-23.2)
	Female	375	80.7%	(75.6-85.7)	87	19.3%	(14.3-24.4)
Mental Health Not Good (past month)	Yes (at least once)	129	83.0%	(75.5-90.5)	30	17.0%	(9.5-24.5)
	None	521	82.0%	(77.7-86.2)	108	18.0%	(13.8-22.3)
DEPRESSIVE DISORDER	Yes	70	75.5%	(63.9-87.0)	24	24.5%	(13.0-36.1)
	No	561	82.7%	(78.5-86.8)	110	17.3%	(13.2-21.5)
ANXIETY DISORDER	Yes	45	88.8%	(80.3-97.4)	10	11.2%	(2.6-19.7)
	No	586	81.7%	(77.5-85.8)	123	18.3%	(14.2-22.5)
Depression	major depression	11	55.8%	(24.5-87.1)	9	44.2%	(12.9-75.5)
	minor depression	25	96.2%	(91.5-100.0)	3	3.8%	(0.0-8.5)
	No depression	536	82.7%	(78.6-86.9)	108	17.3%	(13.1-21.4)
Gets social / emotional support	usually / always	472	84.2%	(80.0-88.4)	86	15.8%	(11.6-20.0)
	sometimes	62	80.5%	(65.9-95.1)	15	19.5%	(4.9-34.1)
	rarely / never	88	72.2%	(60.8-83.7)	33	27.8%	(16.3-39.2)
Used marijuana / hashish (past month)	Yes (at least once)	2	71.0%	(29.6-100.0)	2	29.0%	(0.0-70.4)
	None	610	82.2%	(78.2-86.1)	128	17.8%	(13.9-21.8)
Binge Drinking	Not At Risk	606	81.5%	(77.5-85.5)	130	18.5%	(14.5-22.5)
	At Risk	33	92.8%	(86.0-99.6)	6	7.2%	(0.4-14.0)
Diabetes	Yes (including F. during pregnancy)	105	83.8%	(75.6-92.0)	21	16.2%	(8.0-24.4)
	No (or borderline)	552	81.0%	(76.7-85.3)	122	19.0%	(14.7-23.3)
Current Asthma	Yes	44	81.9%	(70.0-93.8)	12	18.1%	(6.2-30.0)
	No	611	81.7%	(77.7-85.7)	130	18.3%	(14.3-22.3)
Newcomers	<=3 years	62	91.8%	(85.5-98.1)	9	8.2%	(1.9-14.5)
	>3 years	525	81.6%	(77.2-85.9)	113	18.4%	(14.1-22.8)
Smoking Status	Not At Risk	577	83.3%	(79.3-87.2)	115	16.7%	(12.8-20.7)
	At Risk	79	69.5%	(56.7-82.3)	26	30.5%	(17.7-43.3)
County	Clark	225	82.6%	(77.4-87.8)	45	17.4%	(12.2-22.6)
	Washoe	206	84.0%	(79.2-88.7)	44	16.0%	(11.3-20.8)
	Other counties	192	82.9%	(77.4-88.3)	41	17.1%	(11.7-22.6)

Table 07.A: How long has it been since you had your teeth cleaned by a dentist or dental hygienist?

BRFSS 2006 : ORAL HEALTH		Within the past year			Within the past 2 years			Within the past 5 years			5 or more years ago			Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	2119	62.9%	(60.4-65.4)	397	13.3%	(11.5-15.1)	359	11.9%	(10.3-13.6)	357	9.9%	(8.5-11.4)	54	1.9%	(1.1-2.7)
Gender	Male	911	58.9%	(55.2-62.7)	197	13.8%	(11.2-16.4)	176	14.0%	(11.4-16.6)	186	11.2%	(8.9-13.5)	29	2.1%	(0.9-3.4)
	Female	1208	67.0%	(63.7-70.3)	200	12.8%	(10.4-15.3)	183	9.9%	(7.9-11.8)	171	8.7%	(6.7-10.6)	25	1.6%	(0.7-2.6)
Race	White/Non-Hisp	1585	66.5%	(63.6-69.4)	265	12.2%	(10.1-14.3)	226	10.7%	(8.8-12.7)	239	9.6%	(7.8-11.4)	28	0.9%	(0.4-1.4)
	Black or Af.Am.	46	55.4%	(40.2-70.6)	10	11.0%	(1.4-20.7)	9	12.8%	(3.5-22.2)	9	17.9%	(3.4-32.4)	3	2.9%	(0.0-6.6)
	Oth. Race/Non-Hisp	88	65.2%	(53.6-76.8)	20	13.8%	(5.6-22.1)	15	9.2%	(2.6-15.8)	17	9.7%	(3.1-16.4)	4	2.1%	(0.0-4.7)
	Multiracial/Non-Hisp	146	65.6%	(57.2-73.9)	25	8.1%	(4.0-12.1)	34	10.6%	(5.7-15.5)	41	15.2%	(9.1-21.4)	2	0.6%	(0.0-1.5)
	Hispanic	237	52.7%	(46.3-59.0)	74	18.8%	(13.8-23.8)	69	16.0%	(11.7-20.3)	46	7.8%	(5.0-10.7)	15	4.8%	(1.7-7.8)
Age	18-24	125	65.2%	(55.9-74.4)	33	12.7%	(6.7-18.8)	28	11.8%	(6.5-17.1)	13	6.7%	(1.9-11.5)	3	3.6%	(0.0-8.0)
	25-34	230	54.9%	(48.6-61.3)	61	14.8%	(10.3-19.3)	61	16.8%	(11.9-21.6)	50	11.8%	(7.5-16.0)	8	1.7%	(0.0-3.4)
	35-44	390	65.0%	(59.6-70.4)	84	15.7%	(11.2-20.2)	76	11.4%	(7.9-15.0)	50	6.5%	(4.1-8.9)	7	1.4%	(0.1-2.7)
	45-54	445	63.9%	(58.8-69.1)	80	12.3%	(8.5-16.1)	78	11.9%	(8.4-15.4)	86	10.4%	(7.5-13.3)	9	1.5%	(0.1-2.8)
	55-64	463	65.7%	(60.2-71.2)	70	12.0%	(8.0-15.9)	61	9.3%	(6.2-12.3)	72	11.8%	(7.7-15.9)	11	1.2%	(0.3-2.2)
	65+	466	64.9%	(60.0-69.7)	69	10.7%	(7.7-13.8)	55	8.8%	(6.0-11.5)	86	13.1%	(9.5-16.7)	16	2.6%	(0.9-4.3)
Education	Less Than H.S.	126	44.9%	(36.4-53.4)	52	20.7%	(13.8-27.5)	55	15.7%	(10.4-20.9)	49	11.0%	(6.7-15.3)	19	7.8%	(2.9-12.6)
	H.S. or G.E.D.	532	56.9%	(52.0-61.9)	114	15.1%	(11.3-18.9)	105	13.9%	(10.5-17.2)	130	12.5%	(9.3-15.6)	19	1.6%	(0.6-2.7)
	Some Post-H.S.	667	63.8%	(59.5-68.1)	134	12.5%	(9.6-15.4)	121	11.4%	(8.5-14.2)	125	11.6%	(8.8-14.4)	10	0.8%	(0.2-1.4)
	College Graduate	787	76.2%	(72.3-80.1)	97	9.2%	(6.7-11.8)	77	8.9%	(6.2-11.7)	51	5.2%	(3.0-7.4)	6	0.4%	(0.0-0.8)
Income	Less than \$15,000	93	45.2%	(35.5-54.8)	37	17.4%	(9.8-25.1)	38	11.9%	(6.3-17.4)	71	21.1%	(14.6-27.6)	13	4.4%	(0.9-7.9)
	\$15,000 to 24,999	170	46.0%	(38.0-54.0)	53	14.0%	(9.1-18.9)	68	18.8%	(13.0-24.6)	69	16.2%	(10.8-21.6)	18	5.0%	(1.8-8.2)
	\$25,000 to 34,999	177	48.2%	(39.0-57.4)	51	19.3%	(12.2-26.4)	44	16.3%	(10.2-22.5)	46	11.2%	(5.8-16.5)	7	5.0%	(0.0-10.2)
	\$35,000 to 49,999	319	62.3%	(56.0-68.6)	69	14.8%	(10.1-19.6)	51	10.9%	(7.1-14.7)	52	11.5%	(7.5-15.5)	5	0.5%	(0.1-1.0)
	\$50,000 to 74,999	396	66.1%	(60.2-72.1)	63	12.6%	(8.3-16.9)	54	12.2%	(8.0-16.5)	43	7.7%	(4.4-11.0)	7	1.3%	(0.2-2.5)
	\$75,000+	688	77.2%	(72.9-81.6)	79	10.9%	(7.5-14.3)	54	7.6%	(4.8-10.3)	33	4.3%	(2.3-6.3)	1	0.0%	(0.0-0.0)
Health Status	Not At Risk	1860	66.8%	(64.1-69.4)	327	13.0%	(11.0-14.9)	270	11.2%	(9.4-12.9)	238	7.9%	(6.4-9.3)	33	1.2%	(0.6-1.8)
	At Risk	259	44.9%	(38.1-51.7)	70	15.2%	(10.3-20.0)	86	15.2%	(10.9-19.5)	116	19.8%	(14.7-24.9)	20	4.9%	(1.5-8.4)
Disability	Limited in any way	433	54.4%	(48.8-60.0)	95	15.6%	(11.1-20.0)	90	14.0%	(10.1-17.8)	115	14.7%	(10.9-18.6)	14	1.3%	(0.3-2.3)
	No limitations	1677	65.1%	(62.4-67.9)	300	12.8%	(10.8-14.8)	267	11.4%	(9.5-13.2)	239	8.7%	(7.1-10.3)	39	2.0%	(1.0-2.9)
Health Care Coverage	Has Coverage	1908	68.3%	(65.8-70.9)	316	12.8%	(10.9-14.8)	261	9.8%	(8.3-11.4)	241	8.0%	(6.5-9.4)	35	1.0%	(0.6-1.5)
	No Coverage	200	42.4%	(35.7-49.1)	81	15.9%	(11.3-20.6)	97	20.3%	(15.2-25.4)	109	16.4%	(11.9-20.8)	19	5.0%	(1.8-8.2)
Dental Care Coverage	Has Coverage	1492	71.6%	(68.7-74.5)	225	12.8%	(10.5-15.0)	168	8.6%	(6.9-10.4)	135	6.0%	(4.6-7.5)	22	0.9%	(0.5-1.4)
	No Coverage	606	48.1%	(43.6-52.6)	168	14.5%	(11.4-17.5)	184	17.3%	(14.0-20.6)	213	16.6%	(13.4-19.8)	31	3.5%	(1.5-5.5)
Weight Status	Not At Risk	782	67.8%	(63.5-72.0)	139	12.4%	(9.4-15.3)	108	10.1%	(7.6-12.7)	91	7.8%	(5.3-10.3)	18	1.9%	(0.5-1.4)
	At Risk	1245	60.3%	(57.1-63.5)	244	14.2%	(11.8-16.6)	233	12.5%	(10.4-14.6)	247	11.2%	(9.3-13.2)	35	1.8%	(1.5-5.5)
Leisure Time Phys Activity	Not At risk	1717	66.7%	(63.9-69.5)	280	12.1%	(10.1-14.1)	252	11.3%	(9.4-13.2)	225	8.7%	(7.0-10.4)	35	1.3%	(0.6-1.9)
	At risk	400	52.2%	(46.9-57.5)	115	16.7%	(12.8-20.6)	106	13.8%	(10.4-17.1)	132	13.7%	(10.5-16.8)	19	3.7%	(1.3-6.1)

Table 07.B: How long has it been since you had your teeth cleaned by a dentist or dental hygienist?

BRFSS 2006 : ORAL HEALTH		Within the past year			Within the past 2 years			Within the past 5 years			5 or more years ago			Never		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	2119	62.9%	(60.4-65.4)	397	13.3%	(11.5-15.1)	359	11.9%	(10.3-13.6)	357	9.9%	(8.5-11.4)	54	1.9%	(1.1-2.7)
Gender	Male	911	58.9%	(55.2-62.7)	197	13.8%	(11.2-16.4)	176	14.0%	(11.4-16.6)	186	11.2%	(8.9-13.5)	29	2.1%	(0.9-3.4)
	Female	1208	67.0%	(63.7-70.3)	200	12.8%	(10.4-15.3)	183	9.9%	(7.9-11.8)	171	8.7%	(6.7-10.6)	25	1.6%	(0.7-2.6)
Mental Health Not Good (past month)	Yes (at least once)	719	57.6%	(53.4-61.8)	163	14.4%	(11.5-17.4)	172	15.3%	(12.2-18.3)	143	11.5%	(8.8-14.2)	14	1.2%	(0.2-2.2)
	None	1376	66.4%	(63.3-69.5)	229	12.6%	(10.3-14.9)	183	9.9%	(7.9-11.8)	206	8.9%	(7.1-10.6)	40	2.3%	(1.2-3.5)
DEPRESSIVE DISORDER	Yes	339	59.9%	(53.7-66.2)	60	15.0%	(9.9-20.2)	77	14.5%	(10.1-19.0)	62	9.7%	(6.4-13.1)	7	0.8%	(0.0-1.7)
	No	1696	63.0%	(60.2-65.8)	324	13.3%	(11.3-15.3)	269	11.5%	(9.7-13.4)	279	10.1%	(8.4-11.8)	42	2.0%	(1.1-3.0)
ANXIETY DISORDER	Yes	238	59.2%	(51.9-66.5)	43	14.1%	(8.2-20.1)	51	14.4%	(9.5-19.3)	58	11.0%	(6.5-15.6)	8	1.3%	(0.0-2.6)
	No	1796	63.0%	(60.2-65.7)	339	13.5%	(11.5-15.5)	293	11.6%	(9.8-13.4)	281	10.0%	(8.3-11.6)	42	1.9%	(1.0-2.8)
Depression	major depression	54	54.0%	(39.0-69.0)	11	10.4%	(3.3-17.5)	23	14.9%	(5.8-24.0)	22	19.9%	(8.4-31.3)	3	0.8%	(0.0-1.8)
	minor depression	69	45.8%	(33.4-58.1)	17	18.4%	(7.0-29.7)	21	16.2%	(7.2-25.2)	23	17.0%	(7.2-26.9)	3	2.7%	(0.0-7.2)
	No depression	1810	64.3%	(61.6-67.1)	335	13.6%	(11.6-15.6)	275	11.1%	(9.4-12.9)	263	9.0%	(7.4-10.6)	39	1.9%	(1.0-2.8)
Gets social / emotional support	usually / always	1620	67.7%	(64.8-70.5)	273	12.2%	(10.2-14.2)	223	10.4%	(8.6-12.3)	225	8.4%	(6.8-10.0)	29	1.3%	(0.6-2.0)
	sometimes	206	53.8%	(46.2-61.5)	52	14.3%	(9.5-19.1)	58	16.1%	(10.6-21.6)	54	14.2%	(8.9-19.6)	4	1.6%	(0.0-4.1)
	rarely / never	188	47.8%	(39.5-56.1)	53	16.7%	(10.4-22.9)	58	15.5%	(10.4-20.7)	60	15.2%	(9.7-20.6)	16	4.8%	(0.8-8.9)
Used marijuana / hashish (past mnth)	Yes (at least once)	57	50.4%	(34.9-65.8)	11	10.9%	(0.9-20.9)	17	14.0%	(4.6-23.3)	19	24.6%	(10.8-38.5)	1	0.1%	(0.0-0.4)
	None	1915	63.3%	(60.7-65.9)	360	13.6%	(11.7-15.5)	317	11.8%	(10.0-13.5)	312	9.6%	(8.1-11.1)	46	1.7%	(1.0-2.5)
Binge Drinking	Not At Risk	1766	63.6%	(60.8-66.3)	329	13.4%	(11.4-15.3)	284	11.3%	(9.5-13.1)	289	9.9%	(8.3-11.5)	44	1.8%	(1.0-2.6)
	At Risk	296	59.3%	(52.7-65.9)	59	14.3%	(9.0-19.6)	64	15.2%	(10.7-19.8)	56	9.4%	(5.9-12.9)	6	1.8%	(0.0-4.6)
Diabetes	Yes (including F. during pregnancy)	181	53.9%	(46.1-61.8)	41	14.0%	(8.7-19.3)	45	17.3%	(10.6-24.0)	36	13.8%	(8.1-19.6)	2	0.9%	(0.0-2.5)
	No (or borderline)	1935	63.7%	(61.1-66.4)	356	13.3%	(11.4-15.2)	313	11.5%	(9.8-13.2)	318	9.5%	(8.0-11.1)	52	2.0%	(1.1-2.8)
Current Asthma	Yes	151	54.0%	(44.7-63.3)	29	16.7%	(8.5-25.0)	30	12.1%	(6.8-17.5)	49	15.9%	(9.7-22.1)	4	1.2%	(0.0-2.9)
	No	1947	63.5%	(60.9-66.1)	365	13.2%	(11.3-15.0)	323	11.9%	(10.1-13.6)	302	9.5%	(8.0-11.1)	50	2.0%	(1.1-2.8)
Newcomers	<=3 years	263	54.0%	(46.9-61.0)	78	16.6%	(11.4-21.8)	58	16.8%	(11.6-22.1)	51	12.0%	(7.1-16.8)	6	0.7%	(0.1-1.3)
	>3 years	1670	65.1%	(62.3-67.8)	284	12.8%	(10.8-14.8)	265	10.7%	(8.9-12.4)	264	9.6%	(8.0-11.3)	40	1.8%	(1.0-2.7)
Smoking Status	Not At Risk	1800	66.5%	(63.7-69.3)	294	12.5%	(10.5-14.4)	243	10.8%	(9.0-12.7)	232	8.2%	(6.7-9.7)	35	2.0%	(1.0-2.9)
	At Risk	312	50.5%	(44.5-56.5)	102	16.4%	(12.0-20.8)	111	15.4%	(11.8-19.0)	124	16.2%	(12.1-20.3)	19	1.5%	(0.6-2.5)
County	Clark	688	63.3%	(59.8-66.8)	131	13.6%	(11.0-16.1)	119	11.8%	(9.6-14.1)	103	9.3%	(7.3-11.4)	17	2.0%	(0.9-3.1)
	Washoe	764	65.6%	(62.2-69.1)	123	12.5%	(10.1-14.8)	98	10.9%	(8.4-13.5)	105	9.8%	(7.8-11.9)	13	1.1%	(0.4-1.8)
	Other counties	537	60.2%	(56.2-64.1)	107	13.5%	(10.7-16.3)	102	12.4%	(9.4-15.4)	111	12.3%	(9.8-14.8)	15	1.6%	(0.7-2.6)

Table 08.A: At risk for not having teeth cleaned by the dentist or dental hygienist within the past year. (All survey respondents)

BRFSS 2006 : ORAL HEALTH		Not At Risk			At Risk		
		N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	2119	62.9%	(60.4-65.4)	1167	37.1%	(34.6-39.6)
Gender	Male	911	58.9%	(55.2-62.7)	588	41.1%	(37.3-44.8)
	Female	1208	67.0%	(63.7-70.3)	579	33.0%	(29.7-36.3)
Race	White/Non-Hisp	1585	66.5%	(63.6-69.4)	758	33.5%	(30.6-36.4)
	Black or Af.Am./Non-Hisp	46	55.4%	(40.2-70.6)	31	44.6%	(29.4-59.8)
	Oth. Race/Non-Hisp	88	65.2%	(53.6-76.8)	56	34.8%	(23.2-46.4)
	Multiracial/Non-Hisp	146	65.6%	(57.2-73.9)	102	34.4%	(26.1-42.8)
	Hispanic	237	52.7%	(46.3-59.0)	204	47.3%	(41.0-53.7)
Age	18-24	125	65.2%	(55.9-74.4)	77	34.8%	(25.6-44.1)
	25-34	230	54.9%	(48.6-61.3)	180	45.1%	(38.7-51.4)
	35-44	390	65.0%	(59.6-70.4)	217	35.0%	(29.6-40.4)
	45-54	445	63.9%	(58.8-69.1)	253	36.1%	(30.9-41.2)
	55-64	463	65.7%	(60.2-71.2)	214	34.3%	(28.8-39.8)
	65+	466	64.9%	(60.0-69.7)	226	35.1%	(30.3-40.0)
Education	Less Than H.S.	126	44.9%	(36.4-53.4)	175	55.1%	(46.6-63.6)
	H.S. or G.E.D.	532	56.9%	(52.0-61.9)	368	43.1%	(38.1-48.0)
	Some Post-H.S.	667	63.8%	(59.5-68.1)	390	36.2%	(31.9-40.5)
	College Graduate	787	76.2%	(72.3-80.1)	231	23.8%	(19.9-27.7)
Income	Less than \$15,000	93	45.2%	(35.5-54.8)	159	54.8%	(45.2-64.5)
	\$15,000 to 24,999	170	46.0%	(38.0-54.0)	208	54.0%	(46.0-62.0)
	\$25,000 to 34,999	177	48.2%	(39.0-57.4)	148	51.8%	(42.6-61.0)
	\$35,000 to 49,999	319	62.3%	(56.0-68.6)	177	37.7%	(31.4-44.0)
	\$50,000 to 74,999	396	66.1%	(60.2-72.1)	167	33.9%	(27.9-39.8)
	\$75,000+	688	77.2%	(72.9-81.6)	167	22.8%	(18.4-27.1)
Health Status	Not At Risk	1860	66.8%	(64.1-69.4)	868	33.2%	(30.6-35.9)
	At Risk	259	44.9%	(38.1-51.7)	292	55.1%	(48.3-61.9)
Disability	Limited in any way	433	54.4%	(48.8-60.0)	314	45.6%	(40.0-51.2)
	No limitations	1677	65.1%	(62.4-67.9)	845	34.9%	(32.1-37.6)
Health Care Coverage	Has Coverage	1908	68.3%	(65.8-70.9)	853	31.7%	(29.1-34.2)
	No Coverage	200	42.4%	(35.7-49.1)	306	57.6%	(50.9-64.3)
Dental Care Coverage	Has Coverage	1492	71.6%	(68.7-74.5)	550	28.4%	(25.4-31.3)
	No Coverage	606	48.1%	(43.6-52.6)	596	51.9%	(47.4-56.4)
Weight Status	Not At Risk	782	67.8%	(63.5-72.0)	356	32.2%	(28.0-36.5)
	At Risk	1245	60.3%	(57.1-63.5)	759	39.7%	(36.5-42.9)
Leisure Time Physical Activity	Not At risk	1717	66.7%	(63.9-69.5)	792	33.3%	(30.5-36.1)
	At risk	400	52.2%	(46.9-57.5)	372	47.8%	(42.5-53.1)

Table 08.B: At risk for not having teeth cleaned by the dentist or dental hygienist within the past year. (All survey respondents)

BRFSS 2006 : ORAL HEALTH		Not At Risk			At Risk		
		N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	2119	62.9%	(60.4-65.4)	1167	37.1%	(34.6-39.6)
Gender	Male	911	58.9%	(55.2-62.7)	588	41.1%	(37.3-44.8)
	Female	1208	67.0%	(63.7-70.3)	579	33.0%	(29.7-36.3)
Mental Health Not Good (past month)	Yes (at least once)	719	57.6%	(53.4-61.8)	492	42.4%	(38.2-46.6)
	None	1376	66.4%	(63.3-69.5)	658	33.6%	(30.5-36.7)
DEPRESSIVE DISORDER	Yes	339	59.9%	(53.7-66.2)	206	40.1%	(33.8-46.3)
	No	1696	63.0%	(60.2-65.8)	914	37.0%	(34.2-39.8)
ANXIETY DISORDER	Yes	238	59.2%	(51.9-66.5)	160	40.8%	(33.5-48.1)
	No	1796	63.0%	(60.2-65.7)	955	37.0%	(34.3-39.8)
Depression	major depression	54	54.0%	(39.0-69.0)	59	46.0%	(31.0-61.0)
	minor depression	69	45.8%	(33.4-58.1)	64	54.2%	(41.9-66.6)
	No depression	1810	64.3%	(61.6-67.1)	912	35.7%	(32.9-38.4)
Gets social / emotional support	usually / always	1620	67.7%	(64.8-70.5)	750	32.3%	(29.5-35.2)
	sometimes	206	53.8%	(46.2-61.5)	168	46.2%	(38.5-53.8)
	rarely / never	188	47.8%	(39.5-56.1)	187	52.2%	(43.9-60.5)
Used marijuana / hashish (past month)	Yes (at least once)	57	50.4%	(34.9-65.8)	48	49.6%	(34.2-65.1)
	None	1915	63.3%	(60.7-65.9)	1035	36.7%	(34.1-39.3)
Binge Drinking	Not At Risk	1766	63.6%	(60.8-66.3)	946	36.4%	(33.7-39.2)
	At Risk	296	59.3%	(52.7-65.9)	185	40.7%	(34.1-47.3)
Diabetes	Yes (including F. during pregnancy)	181	53.9%	(46.1-61.8)	124	46.1%	(38.2-53.9)
	No (or borderline)	1935	63.7%	(61.1-66.4)	1039	36.3%	(33.6-38.9)
Current Asthma	Yes	151	54.0%	(44.7-63.3)	112	46.0%	(36.7-55.3)
	No	1947	63.5%	(60.9-66.1)	1040	36.5%	(33.9-39.1)
Newcomers	<=3 years	263	54.0%	(46.9-61.0)	193	46.0%	(39.0-53.1)
	>3 years	1670	65.1%	(62.3-67.8)	853	34.9%	(32.2-37.7)
Smoking Status	Not At Risk	1800	66.5%	(63.7-69.3)	804	33.5%	(30.7-36.3)
	At Risk	312	50.5%	(44.5-56.5)	356	49.5%	(43.5-55.5)
County	Clark	688	63.3%	(59.8-66.8)	370	36.7%	(33.2-40.2)
	Washoe	764	65.6%	(62.2-69.1)	339	34.4%	(30.9-37.8)
	Other counties	537	60.2%	(56.2-64.1)	335	39.8%	(35.9-43.8)

Table 09.A: Main reason not visited dentist in the past year. (Only those who didn't visit a dentist within the past year)

BRFSS 2006 : ORAL HEALTH		Fear, apprehension, nervous, pain, dislike going			Cost			Cannot get to office (no transpo/no appts)			Do not know dentist or Other priorities or Have not thought of it		
		N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	86	9.3%	(6.5-12.1)	376	33.4%	(29.3-37.5)	23	1.4%	(0.6-2.2)	152	15.1%	(12.0-18.2)
Gender	Male	41	10.4%	(6.1-14.8)	159	27.5%	(22.3-32.6)	5	0.6%	(0-1.4)	89	17.0%	(12.6-21.4)
	Female	45	7.8%	(4.7-10.9)	217	41.0%	(34.6-47.5)	18	2.3%	(0.8-3.8)	63	12.7%	(8.4-16.9)
Race	White/Non-Hisp	61	9.9%	(6.3-13.5)	219	28.8%	(23.9-33.7)	11	0.7%	(0.2-1.2)	105	16.1%	(12.1-20.2)
	Black or Af.Am.	2	19.5%	(0.0-48.8)	10	26.3%	(5.2-47.4)	1	2.4%	(0-7.2)	4	22.6%	(1.2-44.1)
	Oth. Race/Non-Hisp	4	10.4%	(0.0-22.5)	14	13.3%	(3.8-22.8)	1	1.3%	(0-3.8)	8	16.0%	(1.6-30.5)
	Multiracial/Non-Hisp	11	16.9%	(6.3-27.6)	38	40.6%	(26.3-55.0)	5	8.0%	(0-16.5)	11	14.2%	(3.9-24.6)
	Hispanic	7	4.8%	(0.7-8.9)	90	44.2%	(35.0-53.3)	3	0.6%	(0-1.5)	19	11.8%	(5.9-17.7)
Age	18-24	3	2.5%	(0.0-5.6)	31	40.7%	(25.7-55.7)	0		(-)	11	10.8%	(2.4-19.1)
	25-34	19	12.5%	(4.8-20.2)	70	42.1%	(32.3-52.1)	1	0.1%	(0-0.4)	24	13.1%	(6.7-19.5)
	35-44	19	10.2%	(3.7-16.8)	62	26.9%	(18.6-35.2)	5	2.8%	(0-6.0)	33	19.6%	(11.5-27.8)
	45-54	16	10.3%	(3.1-17.6)	92	37.6%	(28.4-46.8)	6	1.5%	(0.1-2.8)	36	21.6%	(13.0-30.1)
	55-64	21	13.6%	(6.7-20.5)	66	24.6%	(15.0-34.1)	5	2.1%	(0-5.1)	33	17.9%	(10.1-25.7)
	65+	8	3.1%	(0.2-5.9)	55	24.5%	(17.1-31.9)	6	1.9%	(0.1-3.6)	15	5.7%	(2.2-9.2)
Education	Less Than H.S.	5	4.3%	(0.0-9.2)	85	47.3%	(36.6-58.0)	0		(-)	14	6.8%	(2.2-11.4)
	H.S. or G.E.D.	27	9.9%	(4.4-15.4)	111	31.8%	(24.6-38.9)	5	1.1%	(0.0-2.7)	45	14.4%	(9.1-19.7)
	Some Post-H.S.	35	11.7%	(6.6-16.8)	114	26.7%	(20.3-33.1)	9	2.0%	(0.3-3.8)	51	15.2%	(9.6-20.9)
	College Graduate	19	10.6%	(3.7-17.4)	65	30.4%	(20.6-40.1)	9	2.4%	(0.4-4.3)	42	26.6%	(17.4-35.8)
Income	Less than \$15,000	8	5.9%	(0.7-11.1)	86	65.3%	(54.4-76.2)	5	1.5%	(0-3.0)	9	10.3%	(2.5-18.2)
	\$15,000 to 24,999	6	1.3%	(0.1-2.4)	100	46.1%	(36.3-55.8)	1	0.1%	(0-0.3)	10	9.6%	(2.6-16.6)
	\$25,000 to 34,999	17	17.2%	(7.3-27.1)	41	35.8%	(23.1-48.5)	5	1.9%	(0-4.1)	18	12.4%	(4.3-20.5)
	\$35,000 to 49,999	20	13.0%	(6.3-19.7)	46	27.9%	(18.8-36.9)	5	3.3%	(0-6.9)	23	11.5%	(5.3-17.7)
	\$50,000 to 74,999	16	11.3%	(3.6-18.9)	31	20.2%	(10.9-29.5)	3	1.1%	(0-2.4)	29	14.7%	(7.5-21.9)
	\$75,000+	16	13.0%	(4.3-21.6)	28	15.4%	(7.0-23.8)	2	1.7%	(0-4.8)	49	33.9%	(22.9-44.8)
Health Status	Not At Risk	72	9.3%	(6.3-12.3)	260	30.5%	(26.0-35.0)	15	1.2%	(0.4-2.0)	128	17.2%	(13.4-21.0)
	At Risk	14	9.5%	(2.8-16.1)	114	43.0%	(33.6-52.5)	8	2.0%	(0-4.1)	23	8.1%	(3.9-12.2)
Health Care Coverage	Has Coverage	76	11.6%	(8.1-15.0)	207	22.9%	(18.7-27.2)	21	2.0%	(0.7-3.2)	127	18.5%	(14.4-22.6)
	No Coverage	10	5.3%	(0.4-10.1)	168	53.8%	(45.5-62.1)	2	0.3%	(0-0.7)	22	7.8%	(3.7-11.9)
Dental Care Coverage	Has Coverage	65	13.8%	(9.3-18.2)	92	16.4%	(11.5-21.3)	13	2.0%	(0.4-3.5)	99	21.5%	(16.3-26.8)
	No Coverage	20	5.5%	(1.9-9.1)	280	48.9%	(42.8-55.0)	10	0.9%	(0.2-1.6)	50	8.9%	(5.6-12.3)
Smoking Status	Not At Risk	56	8.7%	(5.4-12.0)	251	32.3%	(27.3-37.2)	17	1.6%	(0.5-2.7)	116	16.3%	(12.5-20.2)
	At Risk	30	11.0%	(5.8-16.2)	123	36.7%	(29.0-44.4)	6	0.8%	(0.1-1.5)	35	11.8%	(6.9-16.8)
County	Clark	32	10.2%	(6.1-14.4)	101	29.9%	(24.1-35.7)	6	1.3%	(0.1-2.4)	51	15.5%	(11.1-19.9)
	Washoe	29	11.7%	(7.1-16.3)	119	35.9%	(29.4-42.3)	5	1.4%	(0-2.9)	44	16.2%	(10.8-21.5)
	Other counties	20	6.0%	(3.1-8.9)	104	39.5%	(32.1-46.9)	9	2.0%	(0.6-3.3)	42	14.0%	(9.4-18.6)

Table 09.B: Main reason not visited dentist in the past year. (Only those who didn't visit a dentist within the past year)

BRFSS 2006 : ORAL HEALTH		Other			No reason to go		
		N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	157	17.0%	(13.5-20.4)	247	23.9%	(20.0-27.8)
Gender	Male	75	14.4%	(10.2-18.6)	156	30.0%	(24.3-35.8)
	Female	82	20.2%	(14.5-25.8)	91	16.1%	(11.5-20.6)
Race	White/Non-Hisp	113	19.9%	(15.1-24.8)	164	24.6%	(19.7-29.5)
	Black or Af.Am.	3	11.6%	(0-25.2)	7	17.5%	(1.9-33.2)
	Oth. Race/Non-Hisp	9	38.5%	(15.3-61.7)	8	20.5%	(3.5-37.4)
	Multiracial/Non-Hisp	10	8.7%	(1.7-15.7)	18	11.5%	(5.3-17.7)
	Hispanic	21	11.1%	(5.7-16.4)	47	27.6%	(18.9-36.4)
Age	18-24	17	26.2%	(12.6-39.8)	12	19.9%	(6.7-33.1)
	25-34	21	10.7%	(4.7-16.6)	30	21.4%	(12.6-30.3)
	35-44	38	22.0%	(13.7-30.3)	27	18.4%	(8.9-27.9)
	45-54	29	13.4%	(6.4-20.3)	38	15.7%	(9.3-22.0)
	55-64	30	19.7%	(9.6-29.8)	42	22.1%	(13.8-30.4)
	65+	22	14.2%	(7.5-20.9)	98	50.7%	(41.7-59.7)
Education	Less Than H.S.	19	12.1%	(5.5-18.6)	43	29.6%	(19.1-40.0)
	H.S. or G.E.D.	50	16.7%	(10.1-23.3)	88	26.2%	(19.3-33.0)
	Some Post-H.S.	62	22.7%	(15.9-29.6)	75	21.6%	(15.1-28.1)
	College Graduate	26	14.3%	(7.2-21.5)	39	15.8%	(9.4-22.1)
Income	Less than \$15,000	9	6.0%	(1.2-10.9)	23	10.9%	(5.3-16.6)
	\$15,000 to 24,999	20	12.7%	(5.9-19.5)	56	30.2%	(21.4-39.1)
	\$25,000 to 34,999	15	13.3%	(4.2-22.5)	32	19.3%	(10.4-28.3)
	\$35,000 to 49,999	26	22.5%	(12.9-32.1)	36	21.9%	(12.0-31.8)
	\$50,000 to 74,999	34	18.3%	(10.3-26.3)	40	34.5%	(22.4-46.5)
	\$75,000+	29	25.3%	(13.8-36.7)	20	10.8%	(4.6-16.9)
Health Status	Not At Risk	128	18.4%	(14.4-22.4)	180	23.4%	(18.9-27.9)
	At Risk	27	12.2%	(5.3-19.1)	65	25.3%	(17.5-33.1)
Health Care Coverage	Has Coverage	124	19.9%	(15.5-24.3)	186	25.2%	(20.5-29.8)
	No Coverage	33	11.9%	(6.2-17.6)	58	21.0%	(14.0-28.0)
Dental Care Coverage	Has Coverage	87	22.7%	(17.0-28.4)	120	23.6%	(18.0-29.3)
	No Coverage	68	12.3%	(8.2-16.5)	124	23.4%	(18.1-28.8)
Smoking Status	Not At Risk	107	16.2%	(12.3-20.2)	172	24.9%	(20.1-29.7)
	At Risk	48	18.2%	(11.2-25.1)	74	21.5%	(15.2-27.9)
County	Clark	57	19.4%	(14.3-24.5)	86	23.7%	(18.3-29.1)
	Washoe	41	14.3%	(9.5-19.2)	64	20.4%	(14.8-26.0)
	Other counties	53	18.2%	(13.0-23.4)	64	20.3%	(15.1-25.5)

Table 10.A: Do you have any kind of health insurance that pays for some or your entire routine dental care?

BRFSS 2006 : ORAL HEALTH		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	2046	63.5%	(60.9-66.0)	1219	36.5%	(34.0-39.1)
Gender	Male	943	63.6%	(59.8-67.4)	548	36.4%	(32.6-40.2)
	Female	1103	63.3%	(59.9-66.7)	671	36.7%	(33.3-40.1)
Race	White/Non-Hisp	1484	68.5%	(65.8-71.2)	840	31.5%	(28.8-34.2)
	Black or Af.Am./Non-Hisp	50	64.1%	(48.9-79.3)	26	35.9%	(20.7-51.1)
	Oth. Race/Non-Hisp	100	76.0%	(63.8-88.3)	41	24.0%	(11.7-36.2)
	Multiracial/Non-Hisp	179	75.4%	(67.3-83.5)	70	24.6%	(16.5-32.7)
	Hispanic	215	43.8%	(37.5-50.0)	226	56.2%	(50.0-62.5)
Age	18-24	97	42.6%	(32.6-52.7)	102	57.4%	(47.3-67.4)
	25-34	270	62.3%	(55.9-68.6)	136	37.7%	(31.4-44.1)
	35-44	441	74.6%	(69.8-79.5)	161	25.4%	(20.5-30.2)
	45-54	480	74.1%	(69.6-78.6)	212	25.9%	(21.4-30.4)
	55-64	454	72.1%	(67.4-76.9)	223	27.9%	(23.1-32.6)
	65+	304	43.2%	(38.3-48.0)	385	56.8%	(52.0-61.7)
Education	Less Than H.S.	118	36.2%	(28.2-44.1)	186	63.8%	(55.9-71.8)
	H.S. or G.E.D.	517	59.5%	(54.5-64.6)	369	40.5%	(35.4-45.5)
	Some Post-H.S.	693	69.9%	(65.7-74.2)	358	30.1%	(25.8-34.3)
	College Graduate	713	74.3%	(70.7-78.0)	300	25.7%	(22.0-29.3)
Income	Less than \$15,000	60	18.8%	(12.7-25.0)	191	81.2%	(75.0-87.3)
	\$15,000 to 24,999	160	40.9%	(33.1-48.6)	216	59.1%	(51.4-66.9)
	\$25,000 to 34,999	184	52.6%	(43.3-62.0)	140	47.4%	(38.0-56.7)
	\$35,000 to 49,999	350	70.4%	(64.4-76.4)	146	29.6%	(23.6-35.6)
	\$50,000 to 74,999	423	77.3%	(72.1-82.4)	134	22.7%	(17.6-27.9)
	\$75,000+	675	83.6%	(80.1-87.1)	175	16.4%	(12.9-19.9)
Health Status	Not At Risk	1792	67.7%	(65.1-70.3)	916	32.3%	(29.7-34.9)
	At Risk	254	44.1%	(37.5-50.7)	297	55.9%	(49.3-62.5)
Disability	Limited in any way	428	62.9%	(57.5-68.3)	316	37.1%	(31.7-42.5)
	No limitations	1611	63.6%	(60.7-66.5)	893	36.4%	(33.5-39.3)
Health Care Coverage	Has Coverage	1983	78.7%	(76.7-80.7)	756	21.3%	(19.3-23.3)
	No Coverage	51	8.8%	(5.7-11.9)	458	91.2%	(88.1-94.3)
Smoking Status	Not At Risk	1636	63.5%	(60.7-66.3)	948	36.5%	(33.7-39.3)
	At Risk	402	63.2%	(57.3-69.2)	265	36.8%	(30.8-42.7)
Weight Status	Not At Risk	688	61.5%	(56.8-66.1)	442	38.5%	(33.9-43.2)
	At Risk	1279	66.2%	(63.1-69.3)	711	33.8%	(30.7-36.9)
Leisure Time Physical Activity	Not At risk	1632	67.2%	(64.3-70.0)	855	32.8%	(30.0-35.7)
	At risk	412	53.1%	(47.7-58.5)	362	46.9%	(41.5-52.3)

Table 10.B: Do you have any kind of health insurance that pays for some or your entire routine dental care?

BRFSS 2006 : ORAL HEALTH		Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
Total	Total	2046	63.5%	(60.9-66.0)	1219	36.5%	(34.0-39.1)
Gender	Male	943	63.6%	(59.8-67.4)	548	36.4%	(32.6-40.2)
	Female	1103	63.3%	(59.9-66.7)	671	36.7%	(33.3-40.1)
Mental Health Not Good (past month)	Yes (at least once)	748	63.7%	(59.6-67.8)	458	36.3%	(32.2-40.4)
	None	1277	63.8%	(60.5-67.0)	743	36.2%	(33.0-39.5)
DEPRESSIVE DISORDER	Yes	342	65.5%	(59.5-71.5)	202	34.5%	(28.5-40.5)
	No	1634	63.2%	(60.3-66.1)	968	36.8%	(33.9-39.7)
ANXIETY DISORDER	Yes	234	63.0%	(56.0-70.0)	164	37.0%	(30.0-44.0)
	No	1736	63.4%	(60.6-66.2)	1006	36.6%	(33.8-39.4)
Depression	major depression	60	44.5%	(29.7-59.4)	53	55.5%	(40.6-70.3)
	minor depression	65	55.0%	(42.4-67.5)	65	45.0%	(32.5-57.6)
	No depression	1754	65.6%	(62.8-68.3)	957	34.4%	(31.7-37.2)
Gets social / emotional support	usually / always	1559	68.6%	(65.8-71.3)	802	31.4%	(28.7-34.2)
	sometimes	220	56.8%	(48.9-64.6)	154	43.2%	(35.4-51.1)
	rarely / never	171	42.0%	(34.0-50.1)	202	58.0%	(49.9-66.0)
Used marijuana / hashish (past month)	Yes (at least once)	62	57.7%	(42.2-73.1)	43	42.3%	(26.9-57.8)
	None	1861	64.5%	(61.8-67.1)	1085	35.5%	(32.9-38.2)
Binge Drinking	Not At Risk	1678	63.3%	(60.5-66.1)	1013	36.7%	(33.9-39.5)
	At Risk	317	65.8%	(59.3-72.2)	164	34.2%	(27.8-40.7)
Diabetes	Yes (including F. during pregnancy)	175	54.1%	(46.4-61.9)	130	45.9%	(38.1-53.6)
	No (or borderline)	1868	64.3%	(61.6-67.0)	1085	35.7%	(33.0-38.4)
Current Asthma	Yes	178	68.7%	(59.3-78.0)	84	31.3%	(22.0-40.7)
	No	1849	63.1%	(60.5-65.8)	1120	36.9%	(34.2-39.5)
Newcomers	<=3 years	271	56.8%	(49.6-64.0)	185	43.2%	(36.0-50.4)
	>3 years	1608	66.0%	(63.2-68.8)	909	34.0%	(31.2-36.8)
County	Clark	696	66.7%	(63.3-70.1)	356	33.3%	(29.9-36.7)
	Washoe	693	65.5%	(62.2-68.8)	400	34.5%	(31.2-37.8)
	Other counties	534	60.6%	(56.6-64.6)	333	39.4%	(35.4-43.4)